

Marine biodiversity of Bahía Culebra, Guanacaste, Costa Rica: published records

Jorge Cortés^{1,2}, Rita Vargas-Castillo³ & Jaime Nivia-Ruiz¹

1. Centro de Investigación en Ciencias del Mar y Limnología (CIMAR), Universidad de Costa Rica, San Pedro, 11501-2060 San José, Costa Rica; jorge.cortés@ucr.ac.cr
2. Escuela de Biología, Universidad de Costa Rica, San Pedro, 11501-2060 San José, Costa Rica
3. Museo de Zoología, Universidad de Costa Rica, San Pedro, 11501-2060 San José, Costa Rica; rita.vargas@ucr.ac.cr

Received 23-II-2011. Corrected 28-XI-2011. Accepted 15-II-2012.

Abstract: A survey of the published records of marine organisms of Bahía Culebra, an enclosed embayment on the north Pacific coast of Costa Rica, is analyzed resulting in a list of 577 species representing 22 phyla. The most diverse groups documented were crustaceans, cnidarians and mollusks in order of species number. The first published record of any marine organism from the area, a polychaete, occurred in 1922, with a peak of published records of species between 1940 and 1949 and, more recently, from 2000 to the present. Several additional taxa are known from the region but there are no published records of their occurrence. This is especially evident for such groups as the free living flatworms and black corals. Additionally, several habitats, including soft bottom sediments, have not been sampled. Because of the paucity of knowledge on the biodiversity of Bahía Culebra, much more research is needed in order to evaluate and understand the effect of climate change and increasing anthropogenic activities. Rev. Biol. Trop. 60 (Suppl. 2): 39-71. Epub 2012 April 01.

Key words: Bahía Culebra, marine biodiversity, Costa Rica, Eastern Pacific, upwelling area.

Bahía Culebra ($10^{\circ}36'N$ - $85^{\circ}39'W$) is located on the north Pacific coast of Costa Rica. It is a relatively deep (30 m) and enclosed bay covering about 24 km². This region of Costa Rica is undergoing the greatest coastal alteration due to tourism and other anthropogenic activities (Jiménez 2001, Fernández-García 2007). The bay is protected and deep enough to serve as an anchorage for US battleships between 1933 and 1937 (Sánchez -Noguera 2012). Based on his review of the history of marine research in Bahía Culebra by Cortés (2012a) the first period of active research in the area occurred between 1933 and 1938. During 1933 and 1934 the motor yacht *Velero III* on an expedition sponsored by the Allan Hancock Foundation, visited the bay (Fraser 1943). These expeditions have resulted in a significant number of publications and reports. In 1933, core samples

were taken with the USS *Hannibal*, deposited at Scripps Oceanographic Institution, and the foraminifera analyzed (Bandy & Arnal 1957). The other important expedition was conducted by the New York Zoological Society as part of their eastern Pacific Expeditions. The steam yacht *Zaca*, visited Bahía Culebra in 1938 (Beebe 1938) and resulted in a significant number of publications. Few studies subsequently occurred until the 1950's when individual researchers studied the bay's fauna and flora, e.g., Elmer Y. Dawson who collected algae (Dawson 1960).

Since the mid 1980's scientists from the Centro de Investigación en Ciencias del Mar y Limnología (CIMAR: Marine Science and Limnology Research Center), Universidad de Costa Rica, have been carrying out research on the marine environments of Bahía Culebra,

mainly on the coral reefs (Cortés & Murillo 1985). This work has been later expanded by Carlos E. Jiménez in the 1990s (Jiménez 1998) and also included studies of the diversity of marine organisms. The contributions by Arturo Dominici-Arosemena and co-workers (2001) added an important number of fishes to the list of Bahía Culebra. Karina Rodríguez (Rodríguez-Sáenz 2005, Rodríguez-Sáenz & Gasca 2009, Rodríguez-Sáenz & Segura-Puertas 2009) significantly increased the knowledge on the diversity of the gelatinous zooplankton of Bahía Culebra. Jorge Cabrera-Peña and his team from the Universidad Nacional, Heredia, Costa Rica, published three ecological papers in which marine species were mentioned (Madrigal-Castro *et al.* 1984, Cabrera-Peña *et al.* 1994, Cabrera-Peña & Solano-López 1996). Ángel Valdés and Yolanda E. Camacho-García (2004) add seven species of gastropods to the list of species of Bahía Culebra.

As emphasized by Knowlton and Jackson (2008) baseline information is fundamental to evaluate changes. This is important for regions rich in coralline environments (Cortés & Jiménez 2003) with high marine biodiversity (this paper), and applies especially for areas that are being altered at a rapid rate such as Bahía Cul-ebra. For this reason we have compiled this list of published records as a historical document and as baseline for other papers published both in this issue and in the future.

MATERIALS AND METHODS

We have compiled all reports of marine species and related topics dealing with Bahía Culebra (Cortés 2012b) and a list of all the species reported, organized by taxonomic group, has been organized. The numbers of species per taxa and the year they were reported were recorded. For the algae we used the classification and updated names proposed by Guiry and Guiry (2010). For marine animals we referred mostly to WoRMS (World Register of Marine Species, <http://www.marinespecies.org>) and ITIS (Integrated Taxonomic Information System, <http://www.itis.gov>).

RESULTS AND DISCUSSION

The published records of marine species of Bahía Culebra are listed in Table 1 together with their references. A total of 577 species have been documented, in 22 phyla (Table 1 and 2). The Crustacea had the most species reported (147 spp., mostly decapods: 94 spp.); followed by the cnidarians (100 spp., mostly hydroids: 75 spp.); mollusks (93 spp., mostly bivalves: 55 spp.); and chordates (92 spp., mostly fishes: 82 spp.) (Table 2). These numbers is a reflection of marine biodiversity in general (IUCN 2010) but also the interest and dedication of certain researchers such as is the case of the hydroids by Charles McLean Fra-
ser and Karina Rodríguez-Sáenz, or bivalves where most reports are by Leo G. Hertlein and Archibald M. Strong.

Most reports were published in the 1940's and 2000's (Fig. 1). The first pulse of publications resulted from the support of the Allan Hancock Foundation based on collections made aboard the *Velero III* (Fraser 1943), and the American Museum based on the collections of the New York Zoological Society Pacific expeditions aboard the *Zaca* (Beebe 1938). The second pulse of publications has occurred in the last ten years based on investigations sponsored by the Universidad de Costa Rica through the Centro de Investigación en Ciencias del Mar y Limnología (CIMAR: Marine Science and Limnology Research Center) and the Museo de Zoología (Zoology Museum).

Though known to be present in Bahía Culebra there are no published accounts for several groups of marine organisms, including the black corals, flatworms and nemerteans. Furthermore, conspicuous species such as marine turtles have been seem in the bay but not reported anywhere. Even important ecosystems, such as the soft bottom benthos as well as the rocky intertidal communities have not been studied and much more work needs to be done in the mangrove forests.

At present corals reefs, coral communities, sea urchins and some environmental parameters are being monitored by CIMAR, but




Fig. 1. New reports or species described of marine species for Bahía Culebra per decade.

other environments and organisms should be assessed periodically. The only way to determine changes due to anthropogenic and natural effects is through monitoring.

ACKNOWLEDGMENTS

We thank Cindy Fernández for help with the algae, Juan José Alvarado with the echinoderms, Harlan Dean with the polychaetes. We appreciate the review of the manuscript by Richard Heard, Harlan Dean and Juan José Alvarado. Projects in Bahía Culebra have been funded over the years by the Vicerrectoría de Investigación (Universidad de Costa Rica), Ecodesarrollo Papagayo, USAID-CDR program, and the Centro de Investigación en Ciencias del Mar y Limnología (CIMAR).

RESUMEN

Bahía Culebra es una bahía semicerrada en el Pacífico norte de Costa Rica. Se recopilaron y analizaron publicaciones en que se mencionan especies marinas de la Bahía. Un total de 577 especies en 22 filos han sido registradas, la mayoría crustáceos, cnidarios y moluscos. El primer informe de una especie marina de Bahía Culebra fue en 1922, un poliqueto. Entre 1940 y 1949 hay un pico de publicaciones con especies de la Bahía, al igual que del 2000 al presente. Se han observado algunos grupos de animales de los cuales no hay publicaciones, por ejemplo corales negros y gusanos planos de vida libre. Igualmente, tampoco hay publicaciones sobre los organismos del bentos blando. Más investigación en Bahía Culebra como también continuar y ampliar el monitoreo de ecosistemas y organismos marinos, es necesario para poder evaluar los impactos por la actividad humana y los naturales, incluyendo el cambio climático.

Palabras claves: Bahía Culebra, biodiversidad marina, Costa Rica, Pacífico Oriental, zona de afloramiento

TABLE 1
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum):	Species	References
Class: Order (Infraorder): Family		
Cyanobacteria: Cyanophyceae: Chroococcales: Microcystaceae	<i>Merismopoedia glauca</i> (Ehrenberg) Kützing, 1845	Drouet 1936
Cyanobacteria: Cyanophyceae: Nostocales: Rivulariaceae	<i>Isactis plana</i> (Harvey) Thuret ex Bornet & Flahault, 1886	Taylor 1945
Cyanobacteria: Cyanophyceae: Oscillatoriiales: Oscillatoriaceae	<i>Blennothrix cantharidosma</i> (Gomont) Anagnostidis & Komárek, 1988 as <i>Hydrocoleum cantharidossum</i>	Drouet 1936

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum):	Species	References
Class: Order (Infraorder): Family		
Cyanobacteria: Cyanophyceae: Oscillatoriaceae: Phormidiaceae	<i>Phormidium monile</i> Setchell & Gardner, 1930 as <i>Lyngbya gracilis</i> <i>Trichodesmium erythraeum</i> Ehrenberg ex Gomont 1892 Tas <i>Trichodesmium erythraeum</i>	Taylor 1945 Vargas-Montero 2004
Bacillariophyta: Bacillariophyceae: Bacillariales: Bacillariaceae	<i>Pseudo-nitzschia pungens</i> (Grunow ex P.T. Cleve, 1897) Hasle, 1993 <i>Pseudo-nitzschia</i> spp.	Vargas-Montero 2004 Vargas-Montero 2004
Bacillariophyta: Coscinodiscophyceae: Rhizosoleniales: Rhizosoleniaceae	<i>Guinardia</i> sp.	Vargas-Montero 2004
Dinoflagellata: Dinophyceae: Dinophysiales: Dinophyceae	<i>Dinophysis caudata</i> Saville-Kent, 1881	Vargas-Montero 2004
Dinoflagellata: Dinophyceae: Gonyaulacales: Ceratiaceae	<i>Ceratium dens</i> Ostenfeld & Schmidt, 1859 <i>Ceratium furca</i> (Ehrenberg, 1833)	Vargas-Montero 2004 Vargas-Montero 2004
Dinoflagellata: Dinophyceae: Gonyaulacales: Goniodomataceae	<i>Alexandrium cf. ostenfeldii</i> <i>Alexandrium monilatum</i> (Howell, 1953)	Vargas-Montero 2004 Vargas-Montero 2004
Dinoflagellata: Dinophyceae: Gonyaulacales: Gonyaulacaceae	<i>Gonyaulax spinifera</i> (Claparède & Lachmann, 1859) <i>Lingulodinium polyedrum</i> (Stein, 1883)	Vargas-Montero 2004 Morales-Ramírez <i>et al.</i> 2001
Dinoflagellata: Dinophyceae: Gymnodiniales: Gymnodiniaceae	<i>Cochlodinium polykrikoides</i> Margalef, 1961 <i>Gymnodinium catenatum</i> Grahm, 1943	Vargas-Montero 2004 Vargas-Montero 2004
Dinoflagellata: Dinophyceae: Noctilucales: Noctilucaceae	<i>Noctiluca scintillans</i> (Macartney) Kofoid & Swezy, 1921	Vargas-Montero 2004
Dinoflagellata: Dinophyceae: Peridiniales: Peridinaceae	<i>Peridinium quinquecorne</i> Abé, 1927 <i>in lit</i> <i>Protoperidinium quinquecrones</i>	Vargas-Montero 2004
Dinoflagellata: Dinophyceae: Protocentrales: Protocentraceae	<i>Prorocentrum lima</i> (Ehrenberg) Dodge, 1975 <i>Prorocentrum micans</i> Ehrenberg, 1834 <i>Prorocentrum</i> spp.	Vargas-Montero 2004 Vargas-Montero 2004 Vargas-Montero 2004
Chlorophyta: Bryopsidophyceae: Bryopsidales: Caulerpaceae	<i>Caulerpa sertularioides</i> (S. Gmelin) Howe, 1905	Fernández & Cortés 2005
Chlorophyta: Bryopsidophyceae: Bryopsidales: Halimedaceae	<i>Halimeda discoidea</i> Descaigne, 1842	Fernández & Alvarado 2008
Chlorophyta: Ulvophyceae: Cladophorales: Cladophoraceae	<i>Rhizoclonium lubricum</i> Setchell & Gardner, 1819 as <i>Lola lubrica</i> <i>Cladophora crystallina</i> (Roth) Kützing, 1843	Taylor 1945, Dawson 1961 Dawson 1960, 1961

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Chlorophyta: Ulvophyceae: Dasycladales: Polyphysaceae	<i>Parvocaulis parvulus</i> (Solms-Laubach) Berger, Fettweiss, Gleissberg, Liddle, Richter, Sawitsky & Zuccarello, 2003	Fernández & Alvarado 2008
Chlorophyta: Ulvophyceae: Siphonocladales: Boodleacea	<i>Cladophoropsis gracillima</i> Dawson, 1950 <i>Phyllocladion sp.</i> as <i>Struvea</i> sp.	Dawson 1960 Tsuda 1968
Chlorophyta: Ulvophyceae: Ulvales: Ulvaceae	<i>Ulva fasciata</i> Delile, 1813 <i>Ulva flexuosa</i> Wulfen, 1803 as <i>Enteromorpha</i> <i>lingulata</i> <i>Ulva lactuca</i> Linnaeus, 1753	Tsuda 1968 Taylor 1945, Fernández & Alvarado 2008 Fernández & Alvarado 2008
Rhodophyta: Florideophyceae: Acrochaetales: Acrochaetaceae	<i>Acrochaetium infestans</i> Howe & Hoyt, 1916	Dawson 1960, 1961
Rhodophyta: Florideophyceae: Ceramiales: Ceramiaceae	<i>Ceramium avalonae</i> Dawson, 1949 <i>Antithamnionella breviramosa</i> (Dawson) Wollaston, 1970 as <i>Antithamnion breviramosus</i>	Dawson 1960, 1961 Dawson 1960, 1961
Rhodophyta: Florideophyceae: Ceramiales: Delesseriaceae	<i>Hypoglossum attenuatum</i> var. <i>abyssicola</i> (Taylor) Dawson, 1962 as <i>Hypoglossum abyssicolum</i>	Taylor 1945, Dawson 1961
Rhodophyta: Florideophyceae: Ceramiales: Rhodomelaceae	<i>Acanthophora spicifera</i> (M. Vahl) Børgesen, 1910 as <i>Acanthophora specifera</i> <i>Chondria acrorhizophora</i> Setchell & Gardner, 1924 as <i>Chondria californica</i> <i>Chondria platyclada</i> Taylor, 1945	Cortés 2001 Taylor 1945, Dawson 1961 Taylor 1945, Dawson 1957
Rhodophyta: Florideophyceae: Ceramiales: Spyridiaceae	<i>Spyridia filamentosa</i> (Wulfen) Harvey, 1833 <i>Spyridia</i> sp.	Dawson 1961 Dawson & Beaudette 1959
Rhodophyta: Florideophyceae: Corallinales: Corallinaceae	<i>Amphiroa</i> sp. <i>Jania tenella</i> var. <i>zaca</i> Dawson, 1953 <i>Jania unguilata</i> (Yendo) Yendo, 1905	Dawson & Beaudette 1959 Dawson 1957 Tsuda 1968
Rhodophyta: Florideophyceae: Corallinales: Hapalidiaceae	<i>Lithothamnion validum</i> Foslie, 1906 as <i>Lithothamnium validum</i>	Taylor 1945, Dawson 1957
Rhodophyta: Florideophyceae: Gigartinales: Areschougiaceae	<i>Sarcodiotheca ecuadoreana</i> Taylor, 1945 <i>Sarcodiotheca furcata</i> (Setchell & Gardner) Kylin, 1925	Taylor 1945, Dawson 1957 Dawson 1961
Rhodophyta: Florideophyceae: Gracilariales: Gracilariaeae	<i>Gracilaria symmetrica</i> Dawson, 1949 <i>Gracilaria tepicensis</i> (Dawson) Dawson, 1940 as <i>Gracilaria crockery</i> <i>Gracilaria costaricensis</i> Dawson, 1949 <i>Gracilariaopsis panamensis</i> (Taylor) Dawson, 1949	Dawson 1961 Dawson 1957 Dawson 1957, 1961 Taylor 1945, Dawson 1961

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Rhodophyta: Florideophyceae: Halymeniales: Halymeniaceae	<i>Cryptonemia angustata</i> (Setchell & Gardner) Dawson, 1954	Dawson 1960, 1961
	<i>Cryptonemia limensis</i> (Kützing) Lewis, 1990 <i>in lit</i> <i>Cryptonemia guaymasensis</i>	Dawson 1960, 1961
Rhodophyta: Florideophyceae: Nemaliales: Galaxauraceae	<i>Galaxaura filamentosa</i> Taylor, 1945	Taylor 1945
Rhodophyta: Florideophyceae: Nemaliales: Liagoraceae	<i>Liagora</i> sp.	Dawson & Beaudette 1959
Rhodophyta: Florideophyceae: Nemaliales: Scinaiaeae	<i>Scinaia complanata</i> (Collins) Cotton, 1907 <i>Scinaia confusa</i> (Setchell) Huisman, 1985 as <i>Gloiphloea confuse</i>	Taylor 1945, Dawson 1961 Dawson 1960
	<i>Scinaia johnstoniae</i> Setchell, 1914	Taylor 1945, Dawson 1957
Rhodophyta: Florideophyceae: Rhodymeniales: Lomentariaceae	<i>Lomentaria baileyana</i> (Harvey) Farlow, 1876 <i>Lomentaria hakodatensis</i> Yendo, 1920	Taylor 1945, Dawson 1961 Dawson 1960, 1961
Ochrophyta: Phaeophyceae: Dictyotales: Dictyotaceae	<i>Dictyota crenulata</i> J. Agardh, 1847 <i>Dictyota flabellata</i> (Collins) Setchell & Gardner, 1924	Taylor 1945, Dawson 1961 Taylor 1945, Dawson 1957
	<i>Padina durvillei</i> Bory Saint-Vincent, 1827 <i>Padina</i> sp.	Taylor 1945 Dawson & Beaudette 1959
Ochrophyta: Phaeophyceae: Ectocarpales: Actinetosporaceae	<i>Feldmannia indica</i> (Sonder) Womersley & Bailey, 1970 as <i>Ectocarpus indicus</i>	Tsuda 1968
Ochrophyta: Phaeophyceae: Scytothamnales: Scytothamnaceae	<i>Asteronema breviarticulatum</i> (J. Agardh) Ouriques & Bouzon, 2000 as <i>Ectocarpus breviarticulatus</i>	Tsuda 1968
Magnoliophyta: Liliopsida: Najadales: Ruppiaceae	<i>Ruppia maritima</i> Linnaeus, 1753	Cortés 2001
Magnoliophyta: Liliopsida: Alismatales: Hydrocharitaceae	<i>Halophila baillonis</i> Ascherson, 1874	Cortés 2001
Magnoliophyta: Magnoliopsida: Lamiales: Verbenaceae	<i>Avicennia</i> sp.	Cabrera-Peña <i>et al.</i> 1994
Magnoliophyta: Magnoliopsida: Myrtales: Combretaceae	<i>Laguncularia</i> sp.	Cabrera-Peña <i>et al.</i> 1994
Magnoliophyta: Magnoliopsida: Rhizophorales: Rhizophoraceae	<i>Rhizophora</i> sp.	Cabrera-Peña <i>et al.</i> 1994
Protozoa: Sarcodina: Foraminiferida: Bolivinidae	<i>Bolivina vaughani</i> (Natland, 1938) <i>Brizalina pygmaea</i> (Brady, 1881) as <i>Bolivina pygmaea</i>	Bandy & Arnal 1957 Cushman & McCulloch 1942

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Protozoa: Sarcodina: Foraminiferida: Buliminidae	<i>Buliminella parallela</i> Cushman & Parker, 1931 <i>Bulimina pagoda</i> var. <i>denudata</i> Cushman, 1927 as <i>Bulimina denudata</i>	Cushman & McCulloch 1948 Bandy & Arnal 1957
Protozoa: Sarcodina: Foraminiferida: Cibicididae	<i>Cibicides fletcheri</i> Galloway & Wissler, 1927	Bandy & Arnal 1957
Protozoa: Sarcodina: Foraminiferida: Elphidiidae	<i>Elphidium crispum</i> (Linnaeus, 1758)	Cushman & McCulloch 1940
Protozoa: Sarcodina: Foraminiferida: Eponidiidae	<i>Eponides antillarum</i> (d'Orbigny, 1839)	Crouch & Poag 1987
Protozoa: Sarcodina: Foraminiferida: Fusenkoinidae	<i>Virgulina schreibersiana</i> Czjzek, 1848	Bandy & Arnal 1957
Protozoa: Sarcodina: Foraminiferida: Globigerinidae	<i>Globigerina bulloides</i> D'Orbigny, 1826 <i>Globigerina subcretacea</i> Chapman, 1902 <i>Globigerinella siphonifera</i> (d'Orbigny, 1839) as <i>Globigerinella aequilateralis</i> <i>Globigerinoides ruber</i> (d'Orbigny, 1839) as <i>Globigerinoides rubra</i>	Bandy & Arnal 1957 Bandy & Arnal 1957 Bandy & Arnal 1957 Bandy & Arnal 1957
Protozoa: Sarcodina: Foraminiferida: Globorotaliidae	<i>Globorotalia menardii</i> (d'Orbigny, 1826)	Bandy & Arnal 1957
Protozoa: Sarcodina: Foraminiferida: Haplophragmoididae	<i>Haplophragmoides</i> sp.	Bandy & Arnal 1957
Protozoa: Sarcodina: Foraminiferida: Loxostomatidae	<i>Loxostomum limbatum</i> (Brady, 1881) as <i>Loxostoma limbatum</i>	Cushman & McCulloch 1942
Protozoa: Sarcodina: Foraminiferida: Miliolidae	<i>Quinqueloculina dutemplei</i> (d'Orbigny, 1846) <i>Quinqueloculina lamarckiana</i> (d'Orbigny, 1839) <i>Massilina inaffecta</i> ^a <i>Massilina patula</i> ^a <i>Massilina robustior</i> Cushman & Valentine, 1930	Bandy & Arnal 1957 Bandy & Arnal 1957 Crouch & Poag 1987 Crouch & Poag 1987 Crouch & Poag 1987
Protozoa: Sarcodina: Foraminiferida: Nonionidae	<i>Nonionella atlantica</i> (Cushman, 1947)	Bandy & Arnal 1957
Protozoa: Sarcodina: Foraminiferida: Nouriidae	<i>Nouria polymorphinoides</i> Heron-Allen & Earland, 1914	Cushman & McCulloch 1939
Protozoa: Sarcodina: Foraminiferida: Planorbulinidae	<i>Planorbulina mediterranensis</i> (d'Orbigny, 1826)	Bandy & Arnal 1957
Protozoa: Sarcodina: Foraminiferida: Reussellidae	<i>Reussella aequa</i> Cushman & McCulloch, 1948 <i>Reussella pacifica</i> Cushman & McCulloch, 1948	Cushman & McCulloch 1948 Cushman & McCulloch 1948
Protozoa: Sarcodina: Foraminiferida: Sphaeroidinidae	<i>Rectobolivina hancocki</i> (Cushman & McCulloch, 1942)	Bandy & Arnal 1957
Protozoa: Sarcodina: Foraminiferida: Spiroloculinidae	<i>Spiroloculina dentata</i> Cushman & Tood, 1944	Bandy & Arnal 1957

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Protozoa: Sarcodina: Foraminiferida: Textulariidae	<i>Poritextularia panamensis</i> ^a <i>Textularia candeiana</i> d'Orbigny, 1839 <i>Textularia foliacea</i> Cushman, 1922 <i>Textularia secasensis</i> Lalicker & McCulloch, 1940 <i>Textularia vola</i> Lalicker & McCulloch, 1940	Crouch & Poag 1987 Lalicker & McCulloch 1940 Lalicker & McCulloch 1940, Bandy & Arnal 1957 Lalicker & McCulloch 1940 Bandy & Arnal 1957
Protozoa: Sarcodina: Foraminiferida: Trochamminidae	<i>Trochammina pacifica</i> Cushman, 1925	Cushman & McCulloch 1939
Cnidaria: Anthozoa: Alcyonacea: Clavulariidae	<i>Carijoa</i> sp. as <i>Telesto</i> sp.	Jiménez 1997
Cnidaria: Anthozoa: Alcyonacea: Gorgoniidae	<i>Leptogorgia alba</i> Duchassaing & Michelotti, 1864 <i>Leptogorgia cofrini</i> Breedy & Guzmán, 2005 <i>Leptogorgia cuspidata</i> Verrill, 1865 <i>Pacifigorgia firma</i> Breedy & Guzmán, 2003	Breedy & Guzmán 2007, Breedy 2009 Breedy & Guzmán 2005 Breedy & Guzmán 2007 Breedy & Guzmán 2003
Cnidaria: Anthozoa: Alcyonacea: Plexauridae	<i>Heterogorgia verrucosa</i> Verrill, 1868	Breedy & Guzmán 2011
Cnidaria: Anthozoa: Scleractinia: Agariciidae	<i>Leptoseris papyracea</i> (Dana, 1846) <i>Pavona clavus</i> (Dana, 1846) <i>Pavona gigantea</i> Verrill, 1869 <i>Pavona maldivensis</i> (Gardiner, 1905) <i>Pavona varians</i> Verrill, 1864	Cortés & Murillo 1985 Cortés & Murillo 1985 Cortés & Murillo 1985 Cortés & Guzmán 1998 Cortés & Guzmán 1998
Cnidaria: Anthozoa: Scleractinia: Fungiidae	<i>Fungia</i> (<i>Cycloseris</i>) <i>curvata</i> (Verrill, 1870) <i>Fungia</i> (<i>Cycloseris</i>) <i>distorta</i> Michelin, 1842	Cortés & Guzmán 1998 Cortés & Guzmán 1998
Cnidaria: Anthozoa: Scleractinia: Pocilloporidae	<i>Pocillopora capitata</i> Verrill, 1864 <i>Pocillopora damicornis</i> (Linnaeus, 1758) <i>Pocillopora elegans</i> Dana, 1846 <i>Pocillopora eydouxi</i> Milne Edwards & Haime, 1860 <i>Pocillopora meandrina</i> Dana, 1846	Cortés & Guzmán 1998 Glynn <i>et al.</i> 1983 Jiménez 1997 Cortés & Murillo 1985 Cortés & Murillo 1985
Cnidaria: Anthozoa: Scleractinia: Poritidae	<i>Porites lobata</i> Dana, 1840 <i>Porites panamensis</i> Verrill, 1866	Cortés & Murillo 1985 Cortés & Guzmán 1998
Cnidaria: Anthozoa: Scleractinia: Rhizangiidae	<i>Oulangia bradleyi</i> (Verrill, 1866)	Cortés & Murillo 1985
Cnidaria: Anthozoa: Scleractinia: Siderastreidae	<i>Psammocora stellata</i> (Verrill, 1866) <i>Psammocora superficialis</i> Gardiner, 1898	Glynn <i>et al.</i> 1983 Jiménez 1997

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Cnidaria: Scyphozoa: Coronatae: Naustithoidae	<i>Nausithoe punctata</i> Kölliker, 1853	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Scyphozoa: Semaeostomae: Pelagiidae	<i>Pelagia noctiluca</i> Péron and Lesueur, 1810	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Anthoathecata: Bougainvilliidae	<i>Bougainvillia crassa</i> Fraser, 1938 <i>Bouganvillea fulva</i> Agassiz & Mayer, 1899 <i>Bouganvillea muscus</i> Allmar, 1863 <i>Garveia gracilis</i> (Clark, 1876) as <i>Bimeria gracilis</i> <i>Koellikerina fasciculata</i> (Péron & Lesuerur, 1810) <i>Koellikerina multicirrata</i> (Kramp, 1928) <i>Leuckartiara octona</i> (Fleming, 1823) as <i>Perigonimus repens</i>	Fraser 1938 Rodríguez-Sáenz & Segura-Puertas 2009 Rodríguez-Sáenz & Segura-Puertas 2009 Fraser 1938 Rodríguez-Sáenz & Segura-Puertas 2009 Rodríguez-Sáenz & Segura-Puertas 2009 Fraser 1938
Cnidaria: Hydrozoa: Anthoathecata: Bythotiaridae	<i>Heterotiara minor</i> Vanhöffen, 1911 <i>Kanaka pelagica</i> Uchida, 1947 <i>incerta sedis</i>	Rodríguez-Sáenz & Segura-Puertas 2009 Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Anthoathecata: Corymorphidae	<i>Vannucia forbesii</i> (Mayer, 1894)	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Anthoathecata: Corynidae	<i>Dipurena ophiogaster</i> Haeckel, 1879 <i>Sarsia coccometra</i> Bigelow, 1909 <i>Sarsia</i> spp.	Rodríguez-Sáenz & Segura-Puertas 2009 Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Anthoathecata: Euphydidae	<i>Euphysa aurata</i> Forbes, 1848 <i>Euphysilla pyramidata</i> Kramp, 1955	Rodríguez-Sáenz & Segura-Puertas 2009 Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Anthoathecata: Hydractiniidae	<i>Hydractinia caroliniae</i> Fraser, 1912 <i>Hydractinia disjuncta</i> Fraser, 1938	Fraser 1938 Fraser 1938
Cnidaria: Hydrozoa: Anthoathecata: Oceaniidae	<i>Turritopsis nutricula</i> McCrady, 1857	Fraser 1938

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Cnidaria: Hydrozoa: Anthoathecata: Pandeidae	<i>Amphinema australis</i> (Mayer, 1900)	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Amphinema dilema</i> (Péron & Lesuerur, 1810)	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Haliotholus intermedius</i> (Browne, 1902)	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Haliotholus pauper</i> Hartlaub, 1913	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Leukartiara hoeplii</i> Hsu, 1928	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Leukartiara octona</i> (Fleming, 1823)	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Pandeopsis ikarri</i> Kramp, 1959	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Anthoathecata: Pennariidae	<i>Pennaria disticha</i> (Goldfuss, 1820) as <i>Pennaria tiarella</i>	Fraser 1938, Kelmo & Vargas 2002
Cnidaria: Hydrozoa: Anthoathecata: Porpitidae	<i>Porpita porpita</i> (Linnaeus, 1758)	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Anthoathecata: Protiaridae	<i>Halitiara formosa</i> Fewkes, 1882	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Anthoathecata: Trichydriidae	<i>Trichydra pudica</i> Wright, 1858	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Anthoathecata: Tubulariidae	<i>Ectopleura dumortieri</i> (van Beneden, 1844)	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Calycophorae: Abylidiae	<i>Abylopsis eschscholtzi</i> (Huxley, 1859) <i>Abylopsis tetragona</i> (Otto, 1823)	Rodríguez-Sáenz & Gasca 2009 Rodríguez-Sáenz & Gasca 2009
Cnidaria: Hydrozoa: Calycophorae: Dyphidae	<i>Sulculeolaria chuni</i> (Lens & van Riemsdijk, 1908) <i>Sulculeolaria quadrivalvis</i> Blainville, 1834 <i>Chelophyses contorta</i> (Lens & van Riemsdijk, 1908)	Rodríguez-Sáenz & Gasca 2009 Rodríguez-Sáenz & Gasca 2009 Rodríguez-Sáenz & Gasca 2009
	<i>Diphyes bojani</i> (Eschscholtz, 1829)	Rodríguez-Sáenz & Gasca 2009
	<i>Diphyes dispar</i> Chamisso & Eysenhardt, 1821	Rodríguez-Sáenz & Gasca 2009
	<i>Eudoxoides mitra</i> Huxley, 1859	Rodríguez-Sáenz & Gasca 2009
	<i>Muggiaeaa atlantica</i> Cunningham, 1892	Rodríguez-Sáenz & Gasca 2009
Cnidaria: Hydrozoa: Calycophorae: Prayidae	<i>Rosacea cymbiformis</i> (Chiaje, 1822)	Rodríguez-Sáenz & Gasca 2009
	<i>Rosacea flaccida</i> Biggs, Pugh & Carré, 1978	Rodríguez-Sáenz & Gasca 2009
Cnidaria: Hydrozoa: Leptothecata: Aequoridiae	<i>Aequorea coerulescens</i> (Brandt, 1838)	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Aequorea macrodactyla</i> (Brandt, 1834)	Rodríguez-Sáenz & Segura-Puertas 2009

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Cnidaria: Hydrozoa: Leptothecata: Campanulariidae	<i>Clytia brunescens</i> (Bigelow, 1904)	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Clytia hemisphaerica</i> (Linnaeus, 1767)	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Clytia simplex</i> (Browne, 1902)	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Clytia uchidai</i> Kramp, 1961	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Obelia</i> spp.	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Leptothecata: Dipleurosomatidae	<i>Dipleurosoma pacificum</i> Agassiz & Mayer, 1902	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Leptothecata: Eutimidae	<i>Eutima curva</i> Browne, 1905	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Eutima orientales</i> (Browne, 1905)	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Leptothecata: Haleciidae	<i>Halecium delicatulum</i> Coughtrey, 1876 as <i>Halecium gracile</i>	Fraser 1938
	<i>Halecium nanum</i> Alder, 1849	Fraser 1938
Cnidaria: Hydrozoa: Leptothecata: Laodiceidae	<i>Laodicea marana</i> Agassiz & Mayer, 1899	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Leptothecata: Lovenellidae	<i>Eucheilota comata</i> (Bigelow, 1909)	Rodríguez-Sáenz & Segura-Puertas 2009
	<i>Eucheilota menoni</i> Kramp, 1959	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Leptothecata: Malagazzidiidae	<i>Octophiallucium bigelowi</i> Kramp, 1955	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Leptothecata: Meliceritidae	<i>Melicetum</i> sp.	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Limnomedusae: Olindiidae	<i>Olindias singulares</i> Browne, 1905	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Leptothecata: Phialellidae	<i>Phialella</i> sp.	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Leptothecata: Plumulariidae	<i>Lytocarpus phillippinus</i> (Kirschenpauer, 1872)	Fraser 1938
Cnidaria: Hydrozoa: Leptothecata: Sertulariidae	<i>Sertularia exigua</i> Allman, 1877	Fraser 1938
	<i>Thuiaria crisiodes</i> (Lamouroux, 1824)	Fraser 1948
Cnidaria: Hydrozoa: Narcomedusae: Aeginidae	<i>Solmundella bitentaculata</i> (Quoy & Gaimard, 1833)	Rodríguez-Sáenz & Segura-Puertas 2009

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Cnidaria: Hydrozoa: Narcomedusae: Cuninidae	<i>Cunina octonaria</i> McCrady, 1859 <i>Solmaris rhodoloma</i> (Brandt, 1838)	Rodríguez-Sáenz & Segura-Puertas 2009 Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Physonectae: Agalmidae	<i>Agalma elegans</i> (Sars, 1846) <i>Agalma okeni</i> Eschscholtz, 1825 <i>Nanomia bijuga</i> (Chiaje, 1841)	Rodríguez-Sáenz & Gasca 2009 Rodríguez-Sáenz & Gasca 2009 Rodríguez-Sáenz & Gasca 2009
Cnidaria: Hydrozoa: Physonectae: Forskaliidae	<i>Forskalia edwarsi</i> Kolliker, 1853	Rodríguez-Sáenz & Gasca 2009
Cnidaria: Hydrozoa: Trachymedusae: Geryoniidae	<i>Liriope tetraphylla</i> (Chamisso & Eysenhardt, 1821)	Rodríguez-Sáenz & Segura-Puertas 2009
Cnidaria: Hydrozoa: Trachymedusae: Rhopalonematidae	<i>Aglantha</i> sp. <i>Aglantha digitale</i> (Muller, 1766) <i>Aglaura hemistoma</i> Péron & Lesuerur, 1810 <i>Rhopalonema velatum</i> Gegenbaur, 1857	Rodríguez-Sáenz & Segura-Puertas 2009 Rodríguez-Sáenz & Segura-Puertas 2009 Rodríguez-Sáenz & Segura-Puertas 2009 Rodríguez-Sáenz & Segura-Puertas 2009
Ctenophora	Unidentified species	Bednarski & Morales-Ramírez 2004
Platyhelminthes: Cestoda: Rhinebothriidae: Rhinebothriidae	<i>Rhinebothrium geminum</i> Marques, Brooks & Molina-Ureña, 1996	Marques <i>et al.</i> 1996
Platyhelminthes: Cestoda: Tetraphyllidae: Onchobothriidae	<i>Acanthobothroides pacificus</i> Marques, Brooks & Molina-Ureña, 1996	Marques <i>et al.</i> 1996
Platyhelminthes: Monogenea: Polyopisthocotylea: Protomicrocotylidae	<i>Neomicrocotyle pacifica</i> (Meserve, 1938) as <i>Protomicrocotyle pacifica</i>	Meserve 1938, Rodríguez-Ortíz <i>et al.</i> 2004
Platyhelminthes: Trematoda: Plagiorchida: Bucephalidae	<i>Bucephalus introversus</i> Manter, 1940	Manter 1940, Rodríguez-Ortíz <i>et al.</i> 2004
Platyhelminthes: Trematoda: Plagiorchida: Didymozoidae	Larval Didymozoidae not identified (metacercariae)	Pérez-Ponce de León <i>et al.</i> 1998, Rodríguez-Ortíz <i>et al.</i> 2004
Platyhelminthes: Trematoda: Plagiorchida: Felldistomidae	<i>Tergestia laticollis</i> (Rudolphi, 1819)	Manter 1940, Rodríguez-Ortíz <i>et al.</i> 2004
Platyhelminthes: Trematoda: Plagiorchida: Lepocreadiidae	<i>Bianium simonei</i> (Travassos, Freitas & Buhenheim, 1965)	Pérez-Ponce de León <i>et al.</i> 1998, Rodríguez-Ortíz <i>et al.</i> 2004
Platyhelminthes: Trematoda: Plagiorchida: Monorchidae	<i>Lasiotocus costaricae</i> (Manter, 1940) as <i>Proctotrema costaricae</i>	Manter 1940, Rodríguez-Ortíz <i>et al.</i> 2004
Platyhelminthes: Trematoda: Plagiorchida: Opecoelidae	<i>Helicometra sinuata</i> (Rudolphi, 1819)	Manter 1940, Rodríguez-Ortíz <i>et al.</i> 2004

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Acanthocephala: Palaeacanthocephala: Echinorhynchida: Illiosentidae	<i>Koronacantha pectinaria</i> (Van Cleave, 1940) as <i>Microlepidotus brevipinnis</i> <i>Tegorhynchus pectinarius</i> Van Cleave, 1940	Van Cleave 1940, Monks <i>et al.</i> 1997 Van Cleave 1940
Nematoda: Secernentea: Spirurida: Gnathostomatidae	<i>Echinocephalus janzeni</i> Hoberg, Brooks, Molina-Ureña & Erbe, 1998	Hoberg <i>et al.</i> 1998
Annelida: Polychaeta: Amphinomida: Amphinomidae	<i>Chloea pseudeuglochis</i> Augener, 1924 <i>Eurythoe complanata</i> (Pallas, 1766)	Augener 1922, Dean 2004 Hartman 1940, Dean 2004
Annelida: Polychaeta: Eunicida: Lumbrineridae	<i>Lumbrineris latreilli</i> Audouin & Milne Edwards, 1834	Hartman 1944b, Dean 2004
Annelida: Polychaeta: Sabellida: Sabellariidae	<i>Idanthyrsus cretus</i> Chamberlin, 1919 as <i>Idanthyrsus pennatus</i>	Hartman 1944a, Dean 2004
Sipunculida: Phascolosomatidea: Phascolosomatida: Phascolosomatidae	<i>Antillesoma antillarum</i> (Grube, 1858) <i>Phascolosoma perlucens</i> Baird, 1868	Spongberg 2006 Spongberg 2006
Mollusca: Bivalvia: Arcoida: Arcidae	<i>Acar bailyi</i> Bartsch, 1931 <i>Anadara concinna</i> (Sowerby, 1833) as <i>Anadara (Scapharca) cumingiana</i> <i>Anadara formosa</i> (Sowerby, 1833) as <i>Arca (Anadara) Formosa</i> <i>Anadara multicostata</i> (Sowerby, 1833) as <i>Arca (Larkinia) multicostata</i> <i>Anadara (Cunearca) nux</i> (Sowerby, 1833) <i>Anadara similis</i> (Adams, 1852) as <i>Arca (Anadara) similis</i> <i>Anadara tuberculosa</i> (Sowerby, 1833) as <i>Arca (Anadara) tuberculosa</i> <i>Arca mutabilis</i> Sowerby, 1833 as <i>Arca (Arca) mutabilis</i>	Rost 1955 Rost 1955 Hertlein & Strong 1943 Hertlein & Strong 1943 Hertlein & Strong 1943, Rost 1955 Hertlein & Strong 1943 Hertlein & Strong 1943 Hertlein & Strong 1943 Hertlein & Strong 1943, Rost 1955
Mollusca: Bivalvia: Arcoida: Glycymerididae	<i>Glycymeris strigilata</i> (Sowerby, 1833) as <i>Glycymeris (Tuceta) tessellata</i>	Hertlein & Strong 1943
Mollusca: Bivalvia: Myoida: Corbulidae	<i>Corbula (Caryocorbula) ovulata</i> Sowerby, 1833 as <i>Aloidis (Caryocorbula) ovulata</i>	Hertlein & Strong 1950

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Mollusca: Bivalvia: Myoida: Mytilidae	<i>Amygdalum americanum</i> Soot-Ryen, 1955 <i>Crenella divaricata</i> (d'Orbigny, 1842) <i>Lioberus salvadoricus</i> Hertlein & Strong, 1946 <i>Lithophaga (Diberus) plumula</i> (Hanley, 1844) <i>Lithophaga (Myoforceps) aristata</i> (Dillwyn, 1817) <i>Modiolus eiseni</i> Hertlein & Strong, 1937 <i>Septifer zeteki</i> Hertlein & Strong, 1946	Soot-Ryen 1955 Soot-Ryen 1955 Soot-Ryen 1955 Soot-Ryen 1955 Soot-Ryen 1955 Soot-Ryen 1955 Soot-Ryen 1955
Mollusca: Bivalvia: Veneroida: Cardiidae	<i>Cardita affinis</i> (Sowerby, 1833) <i>Lophocardium annettiae</i> (Dall, 1889) as <i>Cardium annettiae</i> <i>Trigoniocardia guanacastense</i> (Hertlein & Strong, 1947) as <i>Cardium (Americardia) guanacastense</i>	Hertlein & Strong 1946b Hertlein & Strong 1947
Mollusca: Bivalvia: Veneroida: Donacidae	<i>Donax asper</i> Hanley, 1845 <i>Donax assimilis</i> Hanley, 1845 <i>Iphigenia altior</i> (Sowerby, 1833)	Hertlein & Strong 1949b Hertlein & Strong 1949b Hertlein & Strong 1949b
Mollusca: Bivalvia: Veneroida: Lasaeidae	<i>Cymatioa electilis</i> Berry, 1963 <i>Rochefortia compressa</i> Dall, 1913 <i>Solecardia eburnea</i> Conrad, 1849	Skoglund 2001 Skoglund 2001 Skoglund 2001
Mollusca: Bivalvia: Veneroida: Psammobiidae	<i>Heterodonax bimaculata</i> Linnaeus, 1758	Hertlein & Strong 1950
Mollusca: Bivalvia: Veneroida: Solecurtidae	<i>Tagelus (Tagelus) affinis</i> (Adams, 1852) <i>Tagelus (Tagelus) californianus</i> (Conrad, 1837) <i>Tagelus (Mesopleura) peruvianus</i> Pilsbry & Olsson, 1941 <i>Tagelus (Tagelus) violascens</i> Carpenter, 1857	Hertlein & Strong 1950 Hertlein & Strong 1950 Hertlein & Strong 1950 Hertlein & Strong 1950
Mollusca: Bivalvia: Veneroida: Tellinidae	<i>Tellina cumingii</i> Hanley, 1844 as <i>Tellina (Tellinella) cumingii</i> <i>Tellina laceridens</i> Hanley, 1844 as <i>Tellina (Eurytellina) laceridens</i> <i>Tellina simulans</i> Adams, 1852 as <i>Tellina (Eurytellina) simulans</i>	Hertlein & Strong 1949a Hertlein & Strong 1949a
Mollusca: Bivalvia: Veneroida: Ungulinidae	<i>Diplodonta sericata</i> (Reeve, 1850) as <i>Taras sericatus</i> <i>Diplodonta subquadrata</i> (Carpenter, 1856) as <i>Taras subquadrata</i>	Hertlein & Strong 1947 Hertlein & Strong 1947

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Mollusca: Bivalvia: Veneroida: Veneridae	<i>Chione subimbricata</i> (Sowerby, 1835) as <i>Anomalocardia subimbricata</i> <i>Chione subrugosa</i> (Wood, 1828) as <i>Anomalocardia subrugosa</i> <i>Cyclinella subquadrata</i> (Hanley, 1845) <i>Dosinia (Dosiniidia) dunkeri</i> (Philippi, 1844) <i>Megapitaria aurantiaca</i> (Sowerby, 1831) <i>Megapitaria squalida</i> (Sowerby, 1835) <i>Periglypta multicostata</i> (Sowerby, 1835) as <i>Antigona (Periglypta) multicostata</i> <i>Pitar mexicanus</i> Hertlein & Strong, 1948 <i>Pitar unicolor</i> (Sowerby, 1835) <i>Protothaca grata</i> (Say, 1830) <i>Ventricolaria isocardia</i> (Verrill, 1870) as <i>Antigona</i> (<i>Ventricola</i>) <i>isocardia</i>	Hertlein & Strong 1948 Hertlein & Strong 1948
Mollusca: Bivalvia: Ostreoida: Ostreidae	<i>Striostrea prismatica</i> (Gray, 1825) as <i>Ostrea</i> <i>iridescens</i>	Hertlein & Strong 1946a
Mollusca: Bivalvia: Pectinoida: Pectinidae	<i>Nodipecten subnodosus</i> (Sowerby, 1833) as <i>Pecten</i> (<i>Lyropecten</i>) <i>subnodosus</i> <i>Argopecten irradians concentricus</i> (Say, 1822) as <i>Pecten (Plagiostenum) circularis</i> <i>Euvola vogdesi</i> (Arnold, 1906) as <i>Pecten (Pecten)</i> <i>vogdesi</i>	Hertlein & Strong 1946a Hertlein & Strong 1946a Hertlein & Strong 1946a
Mollusca: Bivalvia: Pectinoida: Spondylidae	<i>Spondylus princeps</i> Broderip, 1833	Hertlein & Strong 1943
Mollusca: Bivalvia: Pterioidea: Pinnidae	<i>Pinna rugosa</i> (Sowerby, 1835) <i>Pinna</i> sp.	Cortés 2001 Dawson & Beaudette 1959
Mollusca: Bivalvia: Pterioidea: Pteriidae	<i>Pinctada mazatlanica</i> (Hanley, 1855)	Hertlein & Strong 1943
Mollusca: Gastropoda: Cephalaspidea: Bullidae	<i>Bulla punctulata</i> A. Adams in Sowerby, 1850	Valdés y Camacho-García 2004
Mollusca: Gastropoda: Cephalaspidea: Cylichnidae	<i>Acteocina carinata</i> (Carpenter, 1857)	Valdés y Camacho-García 2004
Mollusca: Gastropoda: Cephalaspidea: Cylichnidae	<i>Cylichnella tabogaensis</i> (Strong & Hertlein, 1939)	Valdés y Camacho-García 2004
Mollusca: Gastropoda: Cephalaspidea: Haminoeidae	<i>Atys defuncta</i> (Baker & Hanna, 1927)	Valdés y Camacho-García 2004
Mollusca: Gastropoda: Cephalaspidea: Retusidae	<i>Retusa paziana</i> Dall, 1919	Valdés y Camacho-García 2004

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Mollusca: Gastropoda: Cephalaspidea: Rhizoridae	<i>Volvula cylindrica</i> (Carpenter, 1864)	Valdés y Camacho-García 2004
Mollusca: Gastropoda: Cephalaspidea: Rhizoridae	<i>Volvula panamica</i> Dall, 1919	Valdés y Camacho-García 2004
Mollusca: Gastropoda: Littorinimorpha: Caecidae	<i>Caecum richthofeni</i> Strong & Hertlein, 1939 <i>Elephantulum mirificum</i> (de Folin, 1867)	Skoglund 2002 Skoglund 2002
Mollusca: Gastropoda: Littorinimorpha: Littorinidae	<i>Echinolittorina fuscolineata</i> (Reid, 2002) as <i>Nodilittorina fuscolineata</i>	Reid 2002
Mollusca: Gastropoda: Littorinimorpha: Strombidae	<i>Strombus gracilior</i> G.B. Sowerby I, 1825	Cortés 2001
Mollusca: Gastropoda: Littorinimorpha: Tornidae	<i>Cyclostremiscus salvatierrensis</i> Herts, Myers & Gemmell, 1992	Skoglund 2002
Mollusca: Gastropoda: Neogastropoda: Columbellidae	<i>Cotonopsis hirundo</i> (Gaskoin, 1852) <i>Sincola dorsata</i> (Sowerby, 1832) <i>Sincola gibberula</i> (Sowerby, 1832) <i>Strombina elegans</i> (Sowerby, 1832) <i>Strombina maculosa</i> (Sowerby, 1832) <i>Strombina recurva</i> (Sowerby, 1832)	Jung 1989 Jung 1989 Jung 1989 Jung 1989 Jung 1989 Jung 1989
Mollusca: Gastropoda: Neogastropoda: Conidae	<i>Conus archon</i> Broderip, 1833 <i>Conus arcuatus</i> Broderip & Sowerby, 1829 <i>Conus brunneus</i> Wood, 1828 <i>Conus lucidus</i> Wood, 1828 <i>Conus mahogani</i> Reeve, 1843 <i>Conus nux</i> Broderip, 1833 <i>Conus perplexus</i> Sowerby, 1857 <i>Conus recurvus</i> Broderip, 1833 <i>Conus regularis</i> Sowerby, 1833 <i>Conus tiaratus</i> Sowerby, 1833 <i>Strombinoturris crockeri</i> Hertlein & Strong, 1951 <i>Pustulatirus hemphilli</i> (Hertlein & Strong, 1951) as <i>Latirus hemphilli</i>	Hanna & Strong 1949 Hanna & Strong 1949
Mollusca: Gastropoda: Neogastropoda: Fascioliidae	<i>Mitra (Strigatella) tristis</i> Broderip, 1836	Cernohorsky 1976
Mollusca: Gastropoda: Neogastropoda: Mitridae		
Mollusca: Gastropoda: Neogastropoda: Muricidae	<i>Muricanthus ambiguus</i> (Reeve, 1845) as <i>Muricanthus callidinus</i>	Berry 1958
Mollusca: Gastropoda: Neogastropoda: Muricidae	<i>Thais brevidentata</i> (Wood, 1828) as <i>Acanthina brevidentata</i>	Madrigal-Castro <i>et al.</i> 1984, Gravel <i>et al.</i> 2006
Mollusca: Gastropoda: Neogastropoda: Terebridae	<i>Terebra</i> sp.	Dawson & Beaudette 1959

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Mollusca: Gastropoda: Neogastropoda: Turridae	<i>Crassispira coracina</i> McLean & Poorman, 1971 <i>Crassispira ballenaensis</i> Hertlein & Strong, 1951 as <i>Crassispira turricula ballenaensis</i>	McLean & Poorman 1971 Hertlein & Strong 1951
Mollusca: Gastropoda Neotaenioglossa: Litiopidae	<i>Alaba supralirata</i> Carpenter, 1856	Cortés 2001
Mollusca: Gastropoda: Nudibranchia: Scyllaeidae	<i>Crosslandia daedali</i> Poorman & Mulliner, 1981	Ajtai <i>et al.</i> 2003
Arthropoda: Crustacea: Malacostraca: Amphipoda: Ampeliscidae	<i>Ampelisca pugetica</i> Stimpson, 1864	Barnard 1954
Arthropoda: Crustacea: Malacostraca: Amphipoda: Phoxocephalidae	<i>Foxiphalus golfensis</i> Barnard & Barnard, 1982	Barnard & Barnard 1982
Arthropoda: Crustacea: Malacostraca: Decapoda: Anomura: Diogenidae	<i>Paguristes digueti</i> Bouvier, 1893 <i>Trizopagurus magnificus</i> (Bouvier, 1898)	Vargas & Cortés 2006 Vargas & Cortes 2006
Arthropoda: Crustacea: Malacostraca: Decapoda: Anomura: Paguridae	<i>Phimochirus californiensis</i> (Benedict, 1892)	McLaughlin 1981
Arthropoda: Crustacea: Malacostraca: Decapoda: Anomura: Porcellanidae	<i>Pachycheles biocellatus</i> (Lockington, 1878) <i>Pachycheles spinidactylus</i> Haig, 1957 <i>Pachycheles vicarius</i> Nobili, 1901 <i>Petrolisthes armatus</i> (Gibbes, 1850) <i>Petrolisthes edwardsii</i> (de Saussure, 1853) <i>Petrolisthes glasselli</i> Haig, 1957 <i>Petrolisthes haigae</i> (Chace, 1962) <i>Petrolisthes hians</i> Nobili, 1901 <i>Petrolisthes ortmanni</i> Nobili, 1901 <i>Petrolisthes tonsorius</i> Haig, 1960 <i>Petrolisthes tridentatus</i> Stimpson, 1859 <i>Pisidia magdalenensis</i> (Glassell, 1936) <i>Porcellana cancrisocialis</i> Glassell, 1936 <i>Porcellana paguriconviva</i> Glassell, 1936	Haig 1960 Haig 1960 Haig 1960 Haig 1968 Haig 1968, Gore 1982 Haig 1960, 1968 Haig 1960, 1968 Haig 1960, 1968 Haig 1960 Haig 1960 Haig 1960 Haig 1960, 1968 Haig 1960, 1968 Haig 1960, 1968 Haig 1960, 1968
Arthropoda: Crustacea: Malacostraca: Decapoda: Brachyura: Aethridae	<i>Hepatus kossmanni</i> Neumann, 1878	Rathbun 1937
Arthropoda: Crustacea: Malacostraca: Decapoda: Brachyura: Calappidae	<i>Cryptosoma bairdii</i> (Stimpson, 1870) as <i>Cycloes bairdii</i> <i>Calappa convexa</i> Saussure, 1853	Garth 1966 Rathbun 1937

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Arthropoda: Crustacea: Malacostraca: Decapoda: Brachyura: Dairidae	<i>Daira americana</i> Stimpson, 1860	Crane 1947
Arthropoda: Crustacea: Malacostraca: Decapoda: Brachyura: Dromiidae	<i>Hypoconcha panamensis</i> Smith, in Verrill, 1869	Rathbun 1937
Arthropoda: Crustacea: Malacostraca: Decapoda: Brachyura: Epialtidae	<i>Herbstia pubescens</i> Stimpson, 1871 <i>Herbstia tumida</i> (Stimpson, 1871) <i>Microlissa aurivillium</i> (Rathbun, 1898) as <i>Lissa aurivillium</i> <i>Pitho picteti</i> (Saussure, 1856)	Garth 1958, 1959 Garth 1958 Garth 1958 Garth 1958
Arthropoda: Crustacea: Malacostraca: Decapoda: Brachyura: Ethusidae	<i>Ethusa lata</i> Rathbun, 1894 <i>Ethusa panamensis</i> Finnegan, 1931 as <i>Ethusa mascarone panamensis</i>	Garth 1966 Rathbun 1937
Arthropoda: Crustacea: Malacostraca: Decapoda: Brachyura: Gecarcinidae	<i>Gecarcinus lateralis</i> (Fréminville, 1835) as <i>Gecarcinus (Gecarcinus) lateralis quadratus</i> <i>Ucides occidentalis</i> (Ortmann, 1897)	Türkay 1970 Cabrera-Peña <i>et al.</i> 1994
Arthropoda: Crustacea: Malacostraca: Decapoda: Brachyura: Grapsidae	<i>Geograpsus lividus</i> (H. Milne Edwards, 1837) <i>Goniopsis pulchra</i> (Lockington, 1877) <i>Grapsus grapsus</i> Linnaeus, 1758 <i>Pachygrapsus transversus</i> (Gibbes, 1850)	Crane 1947 Crane 1947 Crane 1947 Crane 1947
Arthropoda: Crustacea: Malacostraca: Decapoda: Brachyura: Inachidae	<i>Eucinetops panamensis</i> Rathbun, 1923 <i>Ericerodes angulatus</i> (Finnegan, 1931) <i>Stenorhynchus debilis</i> (Smith, 1871)	Garth 1958 Garth 1958 Garth 1958, 1959
Arthropoda: Crustacea: Malacostraca: Decapoda: Brachyura: Inachoididae	<i>Collodes tenuirostris</i> Rathbun, 1894 <i>Euprognatha bifida</i> Rathbun, 1894 <i>Inachoides laevis</i> Stimpson, 1870 <i>Paradasyggius depressus</i> (Bell, 1835)	Garth 1958 Garth 1958 Garth 1958 Garth 1958, 1959
Arthropoda: Crustacea: Malacostraca: Decapoda: Brachyura: Leucosiidae	<i>Ebalia magdalenensis</i> Rathbun, 1933 <i>Iliacantha hancocki</i> Rathbun, 1935 <i>Lithadia cumingii</i> Bell, 1855 <i>Randallia agaricias</i> Rathbun, 1898 <i>Randallia bulligera</i> Rathbun, 1898 <i>Randallia minuta</i> Rathbun, 1935	Rathbun 1937 Rathbun 1937 Rathbun 1937 Rathbun 1937 Rathbun 1937 Garth 1966

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum):	Species	References
Class: Order (Infraorder): Family		
Arthropoda: Crustacea:		
Malacostraca: Decapoda: Brachyura: Majidae	<i>Ala cornuta</i> (Stimpson, 1860)	Garth 1958
	<i>Hemus finneganae</i> Garth, 1958	Garth 1958
	<i>Microphrys branchialis</i> Rathbun, 1898	Garth 1958
	<i>Mithraculus denticulatus</i> (Bell, 1835) as <i>Mitrapax (Mitrapax) denticulatus</i>	Garth 1958
	<i>Mithrax pygmæus</i> Bell, 1835	Garth 1958
	<i>Stenocionops ovatus</i> (Bell, 1835)	Garth 1958
	<i>Teleophrys cristulipes</i> Stimpson, 1860	Garth 1958
	<i>Thoe panamensis</i> Nobili, 1901 as <i>Thoe sulcata panamensis</i>	Garth 1958
Arthropoda: Crustacea:		
Malacostraca: Decapoda: Brachyura: Ocypodidae	<i>Ocypode gaudichaudii</i> H. Milne Edwards & Lucas, 1843	Crane 1941b
	<i>Ocypode occidentalis</i> Stimpson, 1860	Crane 1941b
	<i>Uca latimanus</i> (Rathbun, 1894)	Crane 1975
	<i>Uca panamensis</i> (Stimpson, 1859)	Crane 1941a, 1975
	<i>Ozius tenuidactylus</i> (Lockington, 1877)	Crane 1947
Arthropoda: Crustacea:		
Malacostraca: Decapoda: Brachyura: Oziidae	<i>Celatopesia hassleri</i> (Rathbun, 1925) as <i>Cryptopodia hassleri</i>	Garth 1958
	<i>Daldorfia glasselli</i> (Garth, 1958) as <i>Thyrolambrus glasselli</i>	Garth 1958
	<i>Daldorfia trigona</i> (A. Milne-Edwards, 1869) as <i>Daldorfia garthi</i>	Garth 1959
	<i>Heterocrypta macrobrachia</i> Stimpson, 1871	Garth 1958
	<i>Ochtholambrus stimpsoni</i> (Garth, 1958) as <i>Pathenope (Pseudolambrus) stimpsoni</i>	Garth 1958
	<i>Solenolambrus arcuatus</i> Stimpson, 1891	Garth 1958
Arthropoda: Crustacea:		
Malacostraca: Decapoda: Brachyura: Panopeidae	<i>Eurypanopeus transversus</i> (Stimpson, 1860)	Crane 1947
	<i>Eurytium tristani</i> Rathbun, 1906	Crane 1947
	<i>Hexapanopeus costaricensis</i> Garth, 1940	Garth 1940, 1961
	<i>Malacoplax californiensis</i> (Lockington, 1877) as <i>Speocarcinus californiensis</i>	Garth 1961, 1966
	<i>Panopeus chilensis</i> H. Milne-Edwards & Lucas, 1843	Crane 1947
	<i>Panopeus purpureus</i> Lockington, 1877	Crane 1947
Arthropoda: Crustacea:		
Malacostraca: Decapoda: Brachyura: Pilumnidae	<i>Pilumnus pygmaeus</i> Boone, 1927	Crane 1947
	<i>Pilumnus xantusii</i> Stimpson, 1860	Crane 1947

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum):	Species	References
Class: Order (Infraorder): Family		
Arthropoda: Crustacea:	<i>Callinectes arcuatus</i> Ordway, 1863	Garth 1961, 1966
Malacostraca: Decapoda: Brachyura: Portunidae	<i>Cronius ruber</i> (Lamarck, 1818)	Garth 1961, 1966
	<i>Euphyllax robustus</i> Stimpson, 1860	Garth 1961, 1966
	<i>Portunus acuminatus</i> (Stimpson, 1871)	Garth 1961, 1966
Arthropoda: Crustacea:	<i>Raninoides benedicti</i> Rathbun, 1935	Rathbun 1937
Malacostraca: Decapoda: Brachyura: Raninidae		
Arthropoda: Crustacea:	<i>Trapezia bidentata</i> (Forskål, 1775) as <i>Trapezia ferruginea</i>	Crane 1947, Castro 1996
Malacostraca: Decapoda: Brachyura: Trapeziidae	<i>Trapezia corallina</i> Gerstaecker, 1857	Castro 1996
	<i>Trapezia formosa</i> Stimpson, 1869	Castro 1996
Arthropoda: Crustacea:	<i>Edwardsium lobipes</i> (Rathbun, 1898) as <i>Medaeus lobipes</i>	Garth 1961, 1966
Malacostraca: Decapoda: Brachyura: Xanthidae	<i>Heteractaea lunata</i> (Lucas in H. Milne Edwards & Lucas, 1844)	Crane 1947
	<i>Liomera cinctimana</i> (White, 1847)	Crane 1947
	<i>Microcassiope xantusii</i> (Stimpson, 1871)	Crane 1947
	<i>Platyactaea dovii</i> (Stimpson, 1871)	Crane 1947
Arthropoda: Crustacea:	<i>Alpheus cylindricus</i> Kingsley, 1878	Kim & Abele 1988
Malacostraca: Decapoda: Caridea: Alpheidae		
Arthropoda: Crustacea:	<i>Macrobrachium tenellum</i> (Smith, 1871)	Wicksten 1983
Malacostraca: Decapoda: Caridea: Palaemonidae	<i>Neopontonides henryvonprahlii</i> Ramos, 1995	Wehrtmann & Vargas 2003
	<i>Periclimenes spinosus</i> Holthuis, 1951	Wicksten & Hendrickx 1992
	<i>Pontonia margarita</i> Smith, 1869	Cabrera-Peña & Solano-López 1996
	<i>Pontonia simplex</i> Holthuis, 1951	Wicksten & Hendrickx 1992
Arthropoda: Crustacea:	<i>Plesionika mexicana</i> Chace, 1937	Hendrickx & Wicksten 1989
Malacostraca: Decapoda: Caridea: Pandalidae		
Arthropoda: Crustacea:	<i>Excirolana brasiliensis</i> Richardson, 1912	Brusca & Iverson 1985
Malacostraca: Isopoda: Cirolanidae		
Arthropoda: Crustacea:	<i>Neogonodactylus bahiahondensis</i> (Schmitt, 1940) <i>in lit Gonodactylus bahiahondensis</i>	Schmitt 1940, Manning 1971
Malacostraca: Stomatopoda: Gonodactylidae	<i>Neogonodactylus latiliberdensis</i> (Schmitt, 1940) as <i>Gonodactylus latiliberdensis</i>	Manning 1971, 1974
Arthropoda: Crustacea:	<i>Meiosquilla dawsoni</i> Manning, 1970	Manning 1971, 1974
Malacostraca: Stomatopoda: Squillidae	<i>Squilla parva</i> Bigelow, 1891	Manning 1971
Arthropoda: Crustacea:	<i>Acartia lilljeborgii</i> Giesbrecht, 1889	Bednarski & Morales-Ramírez 2004
Maxillopoda: Calanoida: Acartiidae	<i>Acartia tonsa</i> Dana, 1849	Bednarski & Morales-Ramírez 2004

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum):	Species	References
Class: Order (Infraorder): Family		
Arthropoda: Crustacea: Maxillopoda: Calanoida: Calanidae	<i>Canthocalanus pauper</i> (Giesbrecht, 1888)	Bednarski & Morales-Ramírez 2004
Arthropoda: Crustacea: Maxillopoda: Calanoida: Caligidae	<i>Caligus chorinemi</i> Kroyer, 1863 <i>Neocalanus gracilis</i> (Dana, 1852) <i>Undinula vulgaris</i> (Dana, 1849)	Wilson 1937 Bednarski 2001 Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Calocalanidae	<i>Calocalanus</i> spp.	Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Candaciidae	<i>Candacia catula</i> (Giesbrecht, 1888) <i>Candacia pachydactyla</i> (Dana, 1849)	Bednarski 2001 Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Centropagidae	<i>Centropages furcatus</i> Dana, 1849 <i>Centropages longicornis</i> Mori, 1932	Bednarski & Morales-Ramírez 2004 Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Clausocalanidae	<i>Clausocalanus arcuicornis</i> (Dana, 1849)	Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Eucalanidae	<i>Eucalanus elongatus</i> (Dana, 1848) <i>Pareucalanus attenuatus</i> (Dana, 1849) as <i>Eucalanus attenuates</i>	Bednarski 2001 Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Euchaetidae	<i>Euchaeta indica</i> Wolfenden, 1905 as <i>Euchaeta wolfendeni</i> <i>Paraeuchaeta longicornis</i> (Giesbrecht, 1888) as <i>Euchaeta longicornis</i>	Bednarski 2001 Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Lucicutiidae	<i>Lucicutia flavidornis</i> (Claus, 1863)	Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Paracalanidae	<i>Acrocalanus longicornis</i> Giesbrecht, 1888 <i>Paracalanus parvus</i> (Claus, 1863)	Bednarski 2001 Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Pontellidae	<i>Labidocera acuta</i> (Dana, 1849) <i>Pontellina plumata</i> (Dana, 1849)	Bednarski 2001 Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Pseudodiaptomidae	<i>Pseudodiaptomus wrighti</i> Johnson, 1964	Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Scolecithrichidae	<i>Scolecithricella bradyi</i> (Giesbrecht, 1888)	Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Temoridae	<i>Temora discaudata</i> Giesbrecht, 1889	Bednarski 2001
Arthropoda: Crustacea: Maxillopoda: Calanoida: Rhincalanidae	<i>Rhincalanus</i> spp.	Bednarski 2001

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum):	Species	References
Class: Order (Infraorder): Family		
Arthropoda: Crustacea:	<i>Subeucalanus subcrassus</i> (Giesbrecht, 1888)	Bednarski 2001
Maxillopoda: Calanoida: Subeucalanidae	<i>Subeucalanus subtenuis</i> (Giesbrecht, 1888) as <i>Eucalanus subtenuis</i>	Bednarski 2001
Arthropoda: Crustacea:	<i>Oithona plumifera</i> Baird, 1843	Bednarski & Morales-Ramírez 2004
Maxillopoda: Cyclopoida: Oithonidae	<i>Oithona setigera</i> Dana, 1852	Bednarski 2001
	<i>Oithona similis</i> Claus, 1866	Bednarski 2001
Arthropoda: Crustacea:	<i>Cymbasoma concepcionae</i> Suárez-Morales &	Suárez-Morales & Morales-Ramírez
Maxillopoda: Mostrilloida: Monstrillidae	Morales-Ramírez, 2003	2003
Arthropoda: Crustacea:	<i>Saphirella tropica</i> Wolfenden, 1906	Bednarski 2001
Maxillopoda: Poecilostomatoidea: Clausidiidae		
Arthropoda: Crustacea:	<i>Corycaeus ovalis</i> Claus, 1863	Bednarski 2001
Maxillopoda: Poecilostomatoidea: Corycaeidae	<i>Ditrichocorycaeus brehmi</i> (Steuer, 1910) as <i>Corycaeus bremhi</i>	Bednarski 2001
Arthropoda: Crustacea:	<i>Oncaeа mediterranea</i> (Claus, 1863)	Bednarski 2001
Maxillopoda: Poecilostomatoidea: Oncaeidae	<i>Oncaeа venusta</i> Philippi, 1843	Bednarski 2001
Arthropoda: Crustacea:	<i>Copilia mirabilis</i> Dana, 1852	Bednarski 2001
Maxillopoda: Poecilostomatoidea: Sapphirinidae	<i>Sapphirina opalina</i> Dana, 1849	Bednarski 2001
	<i>Sapphirina ovatolanceolata</i> Dana, 1849	Bednarski 2001
	<i>Sapphirina scarlata</i> Giesbrecht, 1891	Bednarski 2001
Arthropoda: Crustacea:	<i>Balanus masignotus</i> Henry & McLaughlin, 1967	Henry & McLaughlin 1967
Maxillopoda: Sessilia: Balanidae	<i>Balanus mexicanus</i> Henry, 1941 as <i>Balanus concavus mexicanus</i>	Henry & McLaughlin 1975
	<i>Balanus trigonus</i> Darwin, 1864	Henry & McLaughlin 1975
	<i>Lernanthropus micropterygis</i> Richiardi, 1884	Wilson 1937
Arthropoda: Crustacea:	Unidentified species	Bednarski & Morales-Ramírez 2004
Maxillopoda: Siphonostomatoidea: Lernanthropidae		
Arthropoda: Crustacea:	Unidentified species	Bednarski & Morales-Ramírez 2004
Branchiopoda: Diplostraca: Cladocera		
Arthropoda: Crustacea: Ostracoda		
Arthropoda: Chelicerata:	<i>Anoplodactylus</i> especies indeterminada	Childs 1979
Pycnogonida: Pantopoda: Phoxichiliidae		
Bryozoa: Gymnolaemata:	<i>Beania hirtissima</i> (Heller, 1867)	Osburn 1950
Cheilostomatida: Beaniidae		
Bryozoa: Gymnolaemata:	<i>Aimulosia uvulifera</i> (Osburn, 1914)	Osburn 1952
Cheilostomatida: Buffonellodidae		

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Bryozoa: Gymnolaemata: Cheilostomatida: Bryocryptellidae	<i>Porella porifera</i> (Hincks, 1884)	Osburn 1952
Bryozoa: Gymnolaemata: Cheilostomatida: Mamilloporidae	<i>Mamillopora cupula</i> Smitt, 1873	Osburn 1952
Bryozoa: Gymnolaemata: Cheilostomatida: Membraniporidae	<i>Biflustra savartii</i> (Audouin, 1826) as <i>Membranipora savarti</i>	Osburn 1950
Bryozoa: Gymnolaemata: Cheilostomatida: Microporellidae	<i>Microporella gibbosula</i> Canu & Bassler, 1930	Osburn 1952
Bryozoa: Gymnolaemata: Cheilostomatida: Petraliidae	<i>Petralia japonica</i> (Busk, 1884)	Osburn 1952
Bryozoa: Gymnolaemata: Cheilostomatida: Schizoporellidae	<i>Hippodiplosia americana</i> (Verrill, 1875)	Osburn 1952
Bryozoa: Gymnolaemata: Ctenostomatida: Vesiculariidae	<i>Amathia convoluta</i> (Lamarck, 1816)	Osburn & Soule 1953
Echinodermata: Ophiuroidea: Ophiurida: Ophiolepididae	<i>Ophiolepis plateia</i> Ziesenhenne, 1940	Ziesenhenne 1940
Echinodermata: Asteroidea: Paxillosida: Astropectinidae	<i>Astropecten armatus</i> Gray, 1840	Clark 1940
Echinodermata: Echinoidea: Cidaroida: Cidaridae	<i>Eucidaris thourasii</i> (Valenciennes, 1846)	Jiménez 1998
Echinodermata: Echinoidea: Clypeasteroida: Mellitidae	? <i>Encope irregularis</i> Clark, 1948	Clark 1948
Echinodermata: Echinoidea: Diadematoida: Diadematidae	<i>Astropyga pulvinata</i> (Lamarck, 1816)	Alvarado 2008
Echinodermata: Echinoidea: Temnopleuroidea: Toxopneustidae	<i>Diadema mexicanum</i> A. Agassiz, 1863	Jiménez 1998
Echinodermata: Holothuroidea: Aspidochirota: Holothuriidae	<i>Toxopneustes roseus</i> (A. Agassiz, 1863)	Clark 1948
Echinodermata: Holothuroidea: Aspidochirota: Holothuriidae	<i>Holothuria (Platyperona) difficilis</i> Semper, 1868 as <i>Microthele difficilis</i>	Deichmann 1958
	<i>Holothuria (Selenkothuria) Deichmann, 1958</i> as <i>Selenkothuria lubrica</i>	Deichmann 1958
	<i>Holothuria (Thymioscygia) impatiens</i> (Forskål, 1775) as <i>Brandtothuria impatiens</i>	Deichmann 1958
	<i>Labidodemas maccullochi</i> (Deichmann, 1958) as <i>Irenothuria macculloch</i>	Deichmann 1958
Chaetognatha: Sagittoidea: Sagittoidea: Sagittidae	Unidentified species	Bednarski & Morales-Ramírez 2004
Chordata: Appendicularia: Copelata: Oikopleuridae	<i>Oikopleura fusiformis</i> Fol, 1872	Castellanos <i>et al.</i> 2009
	<i>Oikopleura longicauda</i> (Vogt, 1854)	Castellanos <i>et al.</i> 2009
	<i>Oikopleura rufescens</i> Fol, 1872	Castellanos <i>et al.</i> 2009

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Chordata: Appendicularia: Copelata: Fritillariidae	<i>Fritillaria haplostoma</i> Fol, 1872	Castellanos <i>et al.</i> 2009
Chordata: Thaliacea: Salpida: Salpidae	Unidentified species	Bednarski & Morales-Ramírez 2004
Chordata: Chondrichthes: Orectolobiformes: Ginglymostomatidae	<i>Ginglymostoma cirratum</i> (Bonnaterre, 1788)	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Chondrichthes: Rajiformes: Dasyatidae	<i>Himantura pacifica</i> (Beebe & Tee-Van, 1941)	Marques <i>et al.</i> 1996
Chordata: Chondrichthes: Rajiformes: Myliobatidae	<i>Aetobatus narinari</i> (Euphrasen, 1790)	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Albuliformes: Albulidae	<i>Albula pacifica</i> (Beebe, 1942) as <i>Dixonina pacifica</i>	Beebe 1942, Pfeiler 2008
Chordata: Actinopterygii: Anguilliformes: Muraenidae	<i>Gymnomuraena zebra</i> (Shaw, 1797)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Gymnothorax castaneus</i> (Jordan & Gilbert, 1883)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Muraena lentiginosa</i> Jenyns, 1842	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Beryciformes: Holocentridae	<i>Myripristis</i> sp.	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Syngnathiformes: Fistulariidae	<i>Sargocentron suborbitalis</i> (Gill, 1863)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Fistularia commersonii</i> Rüppell, 1838	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Syngnathiformes: Syngnathidae	<i>Hippocampus ingens</i> Girard, 1858	Bussing & López 2009
Chordata: Actinopterygii: Perciformes: Acanthuridae	<i>Prionurus laticlavius</i> (Valenciennes, 1846)	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Apogonidae	<i>Apogon dovii</i> Günther, 1862	Alvarado 2008
	<i>Apogon pacificus</i> (Herre, 1935) as <i>Apogon pacifici</i>	Alvarado 2008
Chordata: Actinopterygii: Perciformes: Blenniidae	<i>Ophioblennius steindachneri</i> Jordan & Evermann, 1898	Dominici-Arosemena <i>et al.</i> 2005
	<i>Plagiotremus azaleus</i> (Jordan & Bollman, 1890)	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Carangidae	<i>Caranx caballus</i> Günther, 1868	Manter 1940
	<i>Caranx sexfasciatus</i> Quoy & Gaimard, 1825 as <i>Caranx marginatus</i>	Manter 1940
	<i>Seriola lalandi</i> Valenciennes, 1833 as <i>Seriola dorsalis</i>	Wilson 1937
	<i>Seriola rivoliana</i> Valenciennes, 1833	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Chaetodontidae	<i>Chaetodon humeralis</i> Günther, 1860	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Cirrhitidae	<i>Johnrandallia nigrirostris</i> (Gill, 1862)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Cirrhitichthys oxycephalus</i> (Bleeker, 1855)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Cirrhitus rivulatus</i> Valenciennes, 1846	Dominici-Arosemena <i>et al.</i> 2005

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum): Class: Order (Infraorder): Family	Species	References
Chordata: Actinopterygii: Perciformes: Ephippidae	<i>Chaetodipterus zonatus</i> (Girard, 1858)	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Haemulidae	<i>Anisotremus taeniatus</i> Gill, 1861 <i>Haemulon flaviguttatum</i> Gill, 1862 <i>Haemulon maculicauda</i> (Gill, 1862) <i>Haemulon scudderii</i> Gill, 1862 <i>Haemulon sexfasciatum</i> Gill, 1862 <i>Haemulon steindachneri</i> (Jordan & Gilbert, 1882)	Dominici-Arosemena <i>et al.</i> 2005 Dominici-Arosemena <i>et al.</i> 2005 Pérez-Ponce de León <i>et al.</i> 1998 Dominici-Arosemena <i>et al.</i> 2005 Dominici-Arosemena <i>et al.</i> 2005 Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Kyphosidae	<i>Kyphosus analogus</i> (Gill, 1862) <i>Kyphosus elegans</i> (Peters, 1869) <i>Sectator oxyurus</i> (Jordan & Gilbert, 1882)	Dominici-Arosemena <i>et al.</i> 2005 Dominici-Arosemena <i>et al.</i> 2005 Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Labridae	<i>Bodianus diplotaenia</i> (Gill, 1862) <i>Halichoeres chierchiae</i> Di Capriacco, 1948 <i>Halichoeres dispilus</i> (Günther, 1864) <i>Halichoeres melanotis</i> (Gilbert, 1890) <i>Halichoeres nicholsi</i> (Jordan & Gilbert, 1882) <i>Halichoeres notospilus</i> (Günther, 1864) <i>Novaculichthys taeniourus</i> (Lacepède, 1801) <i>Thalassoma lucasanum</i> (Gill, 1862) <i>Xyrichtys victori</i> Wellington, 1992	Dominici-Arosemena <i>et al.</i> 2005 Dominici-Arosemena <i>et al.</i> 2005 Dominici-Arosemena <i>et al.</i> 2005 Dominici-Arosemena <i>et al.</i> 2005 Alvarado 2008 Dominici-Arosemena <i>et al.</i> 2005 Dominici-Arosemena <i>et al.</i> 2005 Alvarado 2008 Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Lutjanidae	<i>Lutjanus argentiventralis</i> (Peters, 1869) <i>Lutjanus guttatus</i> (Steindachner, 1869)	Dominici-Arosemena <i>et al.</i> 2005 Alvarado 2008
Chordata: Actinopterygii: Perciformes: Malacanthidae	<i>Malacanthus brevirostris</i> Guichenot, 1848	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Pomacanthidae	<i>Holacanthus passer</i> Valenciennes, 1846 <i>Pomacanthus zonipectus</i> (Gill, 1862)	Dominici-Arosemena <i>et al.</i> 2005 Dominici-Arosemena <i>et al.</i> 2005, Alvarado 2008
Chordata: Actinopterygii: Perciformes: Pomacentridae	<i>Abudefduf troschelii</i> (Gill, 1862) <i>Chromis atrilobata</i> Gill, 1862 <i>Microspathodon bairdii</i> (Gill, 1862) <i>Microspathodon dorsalis</i> (Gill, 1862) <i>Stegastes acapulcoensis</i> (Fowler, 1944) <i>Stegastes flavilatus</i> (Gill, 1862)	Dominici-Arosemena <i>et al.</i> 2005 Dominici-Arosemena <i>et al.</i> 2005

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum):	Species	References
Class: Order (Infraorder): Family		
Chordata: Actinopterygii: Perciformes: Scaridae	<i>Nicholsina denticulata</i> (Evermann & Radcliffe, 1917)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Scarus compressus</i> (Osburn & Nichols, 1916)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Scarus ghobban</i> Forsskål, 1775	Dominici-Arosemena <i>et al.</i> 2005
	<i>Scarus perrico</i> Jordan & Gilbert, 1882	Dominici-Arosemena <i>et al.</i> 2005
	<i>Scarus rubroviolaceus</i> Bleeker, 1847	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Sciaenidae	<i>Odontoscion xanthops</i> Gilbert, 1898	Dominici-Arosemena <i>et al.</i> 2005
	<i>Pareques viola</i> (Gilbert, 1898)	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Scombridae	<i>Scomberomorus sierra</i> Jordan & Starks, 1895	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Perciformes: Serranidae	<i>Alphestes immaculatus</i> Breder, 1936	Dominici-Arosemena <i>et al.</i> 2005
	<i>Alphestes multiguttatus</i> (Günther, 1867)	Alvarado 2008
	<i>Cephalopholis panamensis</i> (Steindachner, 1877)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Dermatolepis dermatolepis</i> (Boulenger, 1895)	Alvarado, 2008
	<i>Epinephelus labriformis</i> (Jenyns, 1840)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Hyporthodus acanthistius</i> (Gilbert, 1892) as <i>Epinephelus acanthistius</i>	Dominici-Arosemena <i>et al.</i> 2005
	<i>Paranthias colonus</i> (Valenciennes, 1846)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Rypticus bicolor</i> Valenciennes, 1846	Dominici-Arosemena <i>et al.</i> 2005
	<i>Serranus psittacinus</i> Valenciennes, 1846	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Syngnathiformes: Syngnathidae	<i>Cosmocampus arctus coccineus</i> (Herald, 1940) as <i>Bryx (Simocampus) coccineus</i>	Fritzsche 1980
Chordata: Actinopterygii: Tetraodontiformes: Balistidae	<i>Balistes polylepis</i> Steindachner, 1876	Dominici-Arosemena <i>et al.</i> 2005
	<i>Melichthys niger</i> (Bloch, 1786)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Pseudobalistes naufragium</i> (Jordan & Starks, 1895)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Sufflamen verres</i> (Gilbert & Starks, 1904)	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Tetraodontiformes: Diodontidae	<i>Diodon holocanthus</i> Linnaeus, 1758	Dominici-Arosemena <i>et al.</i> 2005
	<i>Diodon hystrix</i> Linnaeus, 1758	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Tetraodontiformes: Monocanthidae	<i>Aluterus scriptus</i> (Osbeck, 1765)	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Tetraodontiformes: Ostraciidae	<i>Ostracion meleagris</i> Shaw, 1796	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Actinopterygii: Tetraodontiformes: Tetraodontidae	<i>Arothron hispidus</i> (Linnaeus, 1758)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Arothron meleagris</i> (Anonymous, 1798)	Dominici-Arosemena <i>et al.</i> 2005
	<i>Canthigaster punctatissima</i> (Günther, 1870)	Dominici-Arosemena <i>et al.</i> 2005
Chordata: Reptilia: Squamata: Elapidae	<i>Pelamis platurus</i> (Linnaeus, 1766)	Taylor 1953, Tu 1976
Chordata: Mammalia: Cetacea: Balaenopteridae	<i>Megaptera novaeangliae</i> Borowski, 1781	May-Collado 2009

TABLE 1 (Continued)
List of marine species reported in the literature for Bahía Culebra, Guanacaste, Costa Rica

Clasification: Phylum (Subphylum):	Species	References
Class: Order (Infraorder): Family		
Chordata: Mammalia: Cetacea:	<i>Stenella attenuata</i> Gray, 1846	Rodríguez-Sáenz & Rodríguez-Fonseca 2004
Delphinidae	<i>Stenella attenuata graffmani</i> Lönnberg, 1934	May-Collado & Morales-Ramírez 2005
	<i>Steno bredanensis</i> Lesson, 1828	May-Collado <i>et al.</i> 2005

as = As reported in the original publication.

? = Doubtful record.

a = species reported by Crouch & Poag (1987) but not found in any database.

TABLE 2
Number species per taxonomic group

Taxa	Number of species	Taxa	Number of species
Cyanobacteria	5	Annelida	4
Bacillariophyta	3	Sipunculida	2
Dinoflagellata	14	Mollusca	93
Chlorophyta	10	Bivalvia	55
Rhodophyta	28	Gastropoda	38
Ochrophyta	6	Crustacea	147
Magnoliophyta	5	Malacostraca	101
Protozoa: Foraminifera	33	Decapoda	94
Cnidaria	100	Maxillopoda	44
Anthozoa	23	Other Crustacea	2
Scyphozoa	2	Pycnogonida	1
Hydrozoa	75	Bryozoa	9
Ctenophora	1	Echinodermata	11
Plathyhelminthes	9	Chaetognatha	1
Acanthocephala	2	Chordata	92
Nematoda	1	Fishes	82
TOTAL 577			

REFERENCES

- Ajtai, P., Y. Camacho-García & I.S. Wehrtmann. 2003. Range extension of *Crosslandia daedali* (Nudibranchia: Scyllaeidae). Rev. Biol. Trop. 51: 274.
- Alpermann, T.J. 2001. The fisheries of ornamental fishes in Guanacaste, Costa Rica with special emphasis on the population dynamics of the Cortez Rainbow wrasse, *Thalassoma lucasanum* (Gill 1863). Tesis de Maestría, ISATEC, Univ. Bremen. Bremen, Alemania. 84 p.
- Alvarado, J.J. 2008. Seasonal occurrence and aggregation behavior of the sea urchin *Astropyga pulvinata* (Echinodermata: Echinoidea) in Bahía Culebra, Costa Rica. Pac. Sci. 62: 579-592.
- Augener, H. 1922. Ueber litorale Polychaeten von Westindien. Sitz. Ges. Naturf. Freunde Berlin 1922 (3-5): 38-53.
- Bandy, O.L. & R.E. Arnal. 1957. Distribution of Recent Foraminifera off west coast of Central America. Bull. Amer. Assoc. Petroil. Geol. 41: 2037-2053.

- Barnard, J.L. 1954. Amphipoda of the family Ampelisceidae collected in the eastern Pacific by the Velero III and Velero IV. Allan Hancock Pac. Exped. 18: 1-137.
- Barnard, J.L. & C.M. Barnard. 1982. Revision of *Foxiphilus* and *Eobrolgus* (Crustacea: Amphipoda: Phoxocephalidae) from American oceans. Smithsonian Contr. Zool. 372: 1-35.
- Bednarski, M.K. 2001. Macrozooplankton of Culebra Bay, Costa Rica, with emphasis on copepods. M.Sc. thesis, ISATEC, Univ. Bremen. Bremen, Germany. 155 p.
- Bednarski, M. & A. Morales-Ramírez. 2004. Composition, abundance and distribution of macrozooplankton in Culebra Bay, Gulf of Papagayo, Pacific coast of Costa Rica and its value as bioindicator of pollution. Rev. Biol. Trop. 52 (Suppl. 2): 105-118.
- Beebe, W. 1938. Eastern Pacific expeditions of the New York Zoological Society, XIV. Introduction, itinerary, list of stations, nets and dredges of the eastern Pacific Zaca expedition, 1937-1938. *Zoologica* 23: 287-298.
- Beebe, W. 1942. Eastern Pacific expeditions of the New York Zoological Society, XXX. Atlantic and Pacific fishes of the genus *Dixonina*. *Zoologica* 27: 43-48.
- Berry, S.S. 1958. Notices of new eastern Pacific Mollusca – II. Leafl. Malacol. 1: 83-90.
- Breedy, O. 2009. Octocorals. Text: Pp. 161-167, Species list: CD Pp. 108-111. In: I.S. Wehrtmann and J. Cortés (Eds.). Marine Biodiversity of Costa Rica, Central America. Springer, Berlin.
- Breedy, O. & H.M. Guzmán. 2003. Octocorals from Costa Rica: the genus *Pacifigorgia* (Coelenterata: Octocorallia: Gorgoniidae). *Zootaxa* 281: 1-60.
- Breedy, O. & H.M. Guzman. 2005. A new species of *Leptogorgia* (Coelenterata: Octocorallia: Gorgoniidae) from the shallow waters of the eastern Pacific. *Zootaxa* 899: 1-11.
- Breedy, O. & H.M. Guzman. 2007. A revision of the genus *Leptogorgia* Milne Edwards & Haime, 1857 (Coelenterata: Octocorallia: Gorgoniidae) in the eastern Pacific. *Zootaxa* 1407: 1-90.
- Breedy, O. & H.M. Guzman. 2011. A revision of the genus *Heterogorgia* Verrill, 1868 (Coelenterata: Octocorallia: Plexauridae). *Zootaxa* 2995: 27-44.
- Brusca, R.C. & E.W. Iverson. 1985. A guide to the marine isopod Crustacea of Pacific Costa Rica. Rev. Biol. Trop. 33 (Suppl. 1): 1-77.
- Bussing, W.A. & M. López. 2009. Marine fish. Text: Pp. 453-458, Species list: CD Pp. 412-473. In: I.S. Wehrtmann and J. Cortés (Eds.). Marine Biodiversity of Costa Rica, Central America. Springer, Berlin.
- Cabrera-Peña, J. & Y. Solano-López. 1996. Tamaños y frecuencia de *Pontonia margarita* (Crustacea: Palaeomonidae) asociada a *Pinctada mazatlanica* (Bivalvia: Pteriidae), Costa Rica. *Rev. Biol. Trop.* 44: 915-917.
- Cabrera-Peña, J., F. Vives-Jiménez & Y. Solano-López. 1994. Tamaños y proporción sexual de *Ucides occidentalis* (Crustacea: Gecarcinidae) en el manglar un manglar de Costa Rica. *Uniciencia* 11: 97-99.
- Castellanos, I.A., A. Morales-Ramírez & E. Suárez-Morales. 2009. Appendicularians (Urochordata). Texto: Pp. 445-452, Lista de especies: Disco Compacto Pp. 411. In: I.S. Wehrtmann and J. Cortés (Eds.). Marine Biodiversity of Costa Rica, Central America. Springer, Berlin.
- Castro, P. 1996. Eastern Pacific species of *Trapezia* (Crustacea, Brachyura: Trapeziidae), sibling species symbiotic with reef corals. *Bull. Mar. Sci.* 58: 531-554.
- Cernohorsky, W.O. 1976. The Mitridae of the world, Part I: The Subfamily Mitrinae. *Indo-Pac. Mollusca* 3(17): 273-528.
- Child, C.A. 1979. Shallow-water Pycnogonida of the Isthmus of Panama and the coast of Middle America. *Smithsonian Contr. Zool.* 293: 1-86.
- Clark, H.L. 1940. Eastern Pacific expeditions of the New York Zoological Society. XXI. Notes on Echinoderms from the West Coast of Central America. *Zoologica* 25: 331-352.
- Clark, H.L. 1948. A report on the Echini of the warmer eastern Pacific based on the collections of the Velero III. Allan Hancock Pac Exped. 8: 225-352.
- Cortés, J. 2001. Requiem for an eastern Pacific seagrass bed, Bahía Culebra, Costa Rica. *Rev. Biol. Trop.* 49 (Suppl. 2): 273-278.
- Cortés, J. 2012a. Historia de la investigación marina en Bahía Culebra, Guanacaste, Costa Rica. *Rev. Biol. Trop.* 60 (Supl. 2): 19-37.
- Cortés, J. 2012b. Bibliografía anotada sobre organismos, ambientes y procesos marinos en Bahía Culebra, Guanacaste, Costa Rica. *Rev. Biol. Trop.* 60 (Supl. 2): 231-242.
- Cortés, J. & H.M. Guzmán. 1998. Organismos de los arrecifes coralinos de Costa Rica: Descripción, distribución geográfica e historia natural de los corales

- zooxantelados (Anthozoa: Scleractinia) del Pacífico. Rev. Biol. Trop. 46: 55-91.
- Cortés, J. & C.E. Jiménez. 2003. Corals and coral reefs of the Pacific of Costa Rica: history, research and status: 361-385. In: J. Cortés (Ed.). Latin American Coral Reefs. Elsevier, Amsterdam.
- Cortés, J. & M.M. Murillo. 1985. Comunidades coralinas y arrecifes del Pacífico de Costa Rica. Rev. Biol. Trop. 33: 197-202.
- Crane, J. 1941a. Eastern Pacific Expeditions of the New York Zoological Society. XXVI. Crabs of the Genus *Uca* from the west coast of Central America. Zoológica 26: 145-208.
- Crane, J. 1941b. Eastern Pacific Expeditions of the New York Zoological Society. XXIX. On the growth and ecology of Brachyuran crabs of the Genus *Ocypode*. Zoológica 26: 297-310.
- Crane, J. 1947. Eastern Pacific Expeditions of the New York Zoological Society. XXXVIII. Intertidal brachygnathous crabs from the west coast of tropical America with special reference to ecology. Zoológica 32: 69-95.
- Crane, J. 1975. Fiddler Crabs of the World. Ocypodidae: Genus *Uca*. Princeton Univ. Press, Princeton, New Jersey. 738 p.
- Crouch, R.W. & C.W. Poag. 1987. Benthic Foraminifera of the Panamanian Province: distribution and origins. J. Foram. Res. 17: 153-176.
- Cushman, J.A. & I. McCulloch. 1939. A report on some arenaceous Foraminifera. Allan Hancock Pac. Exped. 6: 1-113.
- Cushman, J.A. & I. McCulloch. 1940. Some Nonionidae in the Collections of the Allan Hancock Foundation. Allan Hancock Pac. Exped. 6: 145-178.
- Cushman, J.A. & I. McCulloch. 1942. Some Virgulininae in the Collections of the Allan Hancock Foundation. Allan Hancock Pac. Exped. 6: 179-230.
- Cushman, J.A. & I. McCulloch. 1948. The species of *Buliminina* and related genera in the collections of the Allan Hancock Foundation. Allan Hancock Pac. Exped. 6: 231-294.
- Dawson, E.Y. 1957. Marine algae from the Pacific Costa Rican gulfs. Los Angeles County Mus. Contr. Sci. 15: 1-28.
- Dawson, E.Y. 1960. New records of marine algae from Pacific Mexico and Central America. Pac. Nat. 1(20): 31-52.
- Dawson, E.Y. 1961. A guide to the literature and distributions of Pacific benthic algae from Alaska to the Galapagos Islands. Pac. Sci. 15: 370-461.
- Dawson, E.Y. & P.T. Beaudette. 1959. Field notes from the 1959 eastern Pacific cruise of the Stella Polaris. Pac. Nat. 1(13): 1-24.
- Dean, H.K. 2004. Marine biodiversity of Costa Rica: Class Polychaeta (Annelida). Rev. Biol. Trop. 52 (Suppl. 2): 131-181.
- Deichmann, E. 1958. The Holothurioidea collected by the Velero III and IV during the years 1932 to 1954. Part II. Aspidochirota. Allan Hancock Pac. Exped. 11: 253-349.
- Dominici-Arosemena, A., E. Brugnoli-Olivera, J. Cortés-Núñez, H. Molina-Ureña & M. Quesada-Alpízar. 2005. Community structure of eastern Pacific reef fishes (Gulf of Papagayo, Costa Rica). Tecnociencia 7(2): 19-41.
- Drouet, F. 1936. Myxophyceae of the G. Allan Hancock Expedition of 1934, collected by Wm. R. Taylor. Allan Hancock Pac. Exp. 3: 15-32.
- Fernández-García, C. 2007. Propagación del alga *Caulerpa sertularioides* (Chlorophyta) en Bahía Culebra, Golfo de Papagayo, Pacífico norte de Costa Rica. M.Sc. thesis, Universidad de Costa Rica, San José, Costa Rica. 92 p.
- Fernández, C. & J.J. Alvarado. 2008. Chlorophyta de la costa Pacífica de Costa Rica. Rev. Biol. Trop. 56 (Suppl. 4): 149-162.
- Fernández, C. & J. Cortés. 2005. Reef Site: *Caulerpa sertularioides*, a green alga spreading aggressively over coral reef communities in Culebra Bay, North Pacific of Costa Rica. Coral Reefs 24: 10.
- Fraser, C.M. 1938. Hydroids of the 1934 Hancock Pacific Expeditions. Allan Hancock Pac. Exped. 4: 1-105.
- Fraser, C.M. 1943. General account of the scientific work of the *Velero III* in the eastern Pacific, 1931-1941, Part II: Geographic and biological associations. Allan Hancock Pac. Exped. 1: 49-258.
- Fraser, C.M. 1948. Hydroids of the Allan Hancock Pacific Expeditions since March, 1938. Allan Hancock Pac. Exped. 4: 179-335.

- Fritzsche, R.A. 1980. Revision of the Eastern Pacific Syngnathidae (Piscesisyggnathiformes), including both Recent and fossil forms. Proc. California Acad. Sci. 42: 181-227.
- Garth, J.S. 1940. Some new species of Brachyuran crabs from Mexico and the Central and South American mainland. Allan Hancock Pac. Exped. 5: 53-127.
- Garth, J.S. 1958. Brachyura of the Pacific coast of America. Oxyrhyncha. Tables and Plates. Allan Hancock Pac. Exped. 21: 501-854.
- Garth, J.S. 1959. Eastern Pacific Expeditions of the New York Zoological Society. XLIV. Non-intertidal brachygnathous crabs from the west coast of Tropical America. Part 1: Brachygnatha, Oxyrhyncha. Zooligica 44: 105-126.
- Garth, J.S. 1961. Eastern Pacific Expeditions of the New York Zoological Society. XLV. Non-intertidal brachygnathous crabs from the west coast of Tropical America. Part 2: Brachygnatha Brachyrhyncha. Zooligica 46: 133-160.
- Garth, J.S. 1966. Eastern Pacific Expeditions of the New York Zoological Society. XLVI. Oystomatous and allied crabs from the west coast of Tropical America. Zooligica 51: 1-16.
- Glynn, P.W., E.M. Druffel & R.B. Dunbar. 1983. A dead Central American coral reef tract: possible link with the Little Ice Age. J. Mar. Res. 41: 605-637.
- Gore, R. 1982. Porcellanid crabs from the coasts of Mexico and Central America (Crustacea: Decapoda: Anomura). Smithsonian Contr. Zool. 363: 1-34.
- Gravel, P., K. Johanning, J. McLachlan, J.A. Vargas & E. Oberdörster. 2006. Imposex in the intertidal snail *Thais brevidentata* (Gastropoda: Muricidae) from the Pacific coast of Costa Rica. Rev. Biol. Trop. 54 (Suppl. 1): 21-26.
- Guiry, M.D. & Guiry, G.M. 2010. *AlgaeBase*. World-wide electronic publication, National University of Ireland, Galway. <http://www.algaebase.org>; searched on 23 August 2010.
- Haig, J. 1960. The Porcellanidae (Crustacea: Anomura) of the eastern Pacific. Allan Hancock Pac. Exped. 24: 1-440.
- Haig, J. 1968. Eastern Pacific expeditions of the New York Zoological Society. Porcellanid crabs (Crustacea: Anomura) from the west coast of Tropical America. Zooligica 53: 57-74.
- Hanna, G.D. & A.M. Strong. 1949. West American mollusks of the genus *Conus*. Proc. Calif. Acad. Sci., 4th ser., 26: 247-322.
- Hartman, O. 1940. Polychaetous Annelids. Part II. Chrysopetalidae to Goniadidae. Allan Hancock Pac. Exped. 7: 173-287.
- Hartman, O. 1944a. Polychaetous annelids. Pt. VI. Paranidae, Magelonidae, Longosomidae, Ctenodrilidae and Sabellariidae. Allan Hancock Pac. Exped. 10: 311-389.
- Hartman, O. 1944b. Polychaetous annelids. Pt. V. Eunicea. Allan Hancock Pac. Exped. 10: 1-238.
- Hendrickx, M.E. & M.K. Wicksten. 1989. Los Pandalidae (Crustacea: Caridea) del Pacífico mexicano, con una clave para su identificación. Caldasia 16: 71-86.
- Henry, D.P. & P.A. McLaughlin. 1967. A revision of the subgenus *Solidabalanus* Hoek (Cirripedia, Thoracica) including a description of a new species with complemental males. Crustaceana 12: 43-58.
- Henry, D.P. & P.A. McLaughlin. 1975. The barnacles of the *Balanus amphitrite* complex (Cirripedia, Thoracica). Zool. Verh. 141: 1-254.
- Hertlein, L.G. & A.M. Strong. 1943. Eastern Pacific Expeditions of the New York Zoological Society. XXXII. Mollusks from the West Coast of Mexico and Central America. Part II. Zooligica 28: 149-168.
- Hertlein, L.G. & A.M. Strong. 1946a. Eastern Pacific Expeditions of the New York Zoological Society. XXXIV. Mollusks from the West Coast of Mexico and Central America. Part III. Zooligica 31: 53-76.
- Hertlein, L.G. & A.M. Strong. 1946b. Eastern Pacific Expeditions of the New York Zoological Society. XXXV. Mollusks from the West Coast of Mexico and Central America. Part IV. Zooligica 31: 93-120.
- Hertlein, L.G. & A.M. Strong. 1947. Eastern Pacific Expeditions of the New York Zoological Society. XXXVI. Mollusks from the West Coast of Mexico and Central America. Part V. Zooligica 31: 129-150.
- Hertlein, L.G. & A.M. Strong. 1948. Eastern Pacific Expeditions of the New York Zoological Society. XXXIX. Mollusks from the West Coast of Mexico and Central America. Part VI. Zooligica 33: 163-198.
- Hertlein, L.G. & A.M. Strong. 1949a. Eastern Pacific Expeditions of the New York Zoological Society. XL. Mollusks from the West Coast of Mexico and Central America. Part VII. Zooligica 34: 63-97.

- Hertlein, L.G. & A.M. Strong. 1949b. Eastern Pacific Expeditions of the New York Zoological Society. XLI. Mollusks from the West Coast of Mexico and Central America. Part VIII. *Zoologica* 34: 239-258.
- Hertlein, L.G. & A.M. Strong. 1950. Eastern Pacific Expeditions of the New York Zoological Society. XLII. Mollusks from the West Coast of Mexico and Central America. Part IX. *Zoologica* 35: 217-252.
- Hertlein, L.G. & A.M. Strong. 1951. Eastern Pacific Expeditions of the New York Zoological Society. XLIII. Mollusks from the West Coast of Mexico and Central America. Part X. *Zoologica* 36: 66-120.
- Hoberg, E.P., D.R. Brooks, H. Molina-Ureña & E. Erbe. 1998. *Echinocephalus janzeni* n.sp. (Nematoda: Gnathostomatidae) in *Himantura pacifica* (Chondrichthyes: Myliobatiformes) from the Pacific coast of Costa Rica and Mexico, with historical biogeographic analysis of the genus. *J. Parasitol.* 84: 571-581.
- IUCN. 2010. IUCN Red List of Threatened Species. Version 2010.3. www.iucnredlist.org. Downloaded on 09 September 2010.
- Jiménez, C.E. 1997. Corals and coral reefs of Culebra Bay, Pacific coast of Costa Rica: Anarchy in the reef. Proc. 8th Int. Coral Reef Symp., Panamá 1: 329-334.
- Jiménez, C.E. 1998. Arrecifes y comunidades coralinas de Bahía Culebra, Pacífico Norte de Costa Rica (Golfo de Papagayo). M.Sc. thesis, Universidad de Costa Rica, San José, Costa Rica. 218 p.
- Jiménez, C. 2001. Arrecifes y ambientes coralinos de Bahía Culebra, Pacífico de Costa Rica: aspectos biológicos, económico-recreativos y de manejo. *Rev. Biol. Trop.* 49 (Suppl. 2): 215-231.
- Jung, P. 1989. Revision of the Strombina-Group (Gastropoda: Columbellidae), fossil and living: distribution, biostratigraphy and systematics. *Schweiz. Paläont. Abhandl.* 111: 1-298.
- Kelmo, F. & R. Vargas. 2002. Anthoathecatae and Lepothecatae hydroids from Costa Rica (Cnidaria: Hydrozoa). *Rev. Biol. Trop.* 50: 599-627.
- Kim, W. & L.G. Abele. 1988. The snapping shrimp genus *Alpheus* from the eastern Pacific (Decapoda: Caridea: Alpheidae). *Smithsonian Contr. Zool.* 454: 1-119.
- Knowlton, N. & J.B.C. Jackson. 2008. Shifting baselines, local impacts, and global change on coral reefs. *PLoS Biology* 6: 215-220.
- Lalicker, C.G. & I. McCulloch. 1940. Some Textulariidae of the Pacific Ocean. *Allan Hancock Pac. Exped.* 6: 115-143.
- Madrigal-Castro, E., J. Cabrera-Peña, J. Monge-Esquível & F. Pérez-Acuña. 1984. Comparación entre dos poblaciones de *Acanthina brevidentata* (Gastropoda: Mollusca) en dos zonas rocosas de Playa Panamá, Guanacaste, Costa Rica. *Rev. Biol. Trop.* 32: 11-15.
- Manning, R.B. 1971. Eastern Pacific Expeditions of the New York Zoological Society. Stomatopod Crustacea. *Zoologica* 56: 95-113.
- Manning, R.B. 1974. Stomatopods collected by Th. Mortensen in the eastern Pacific Region (Crustacea, Stomatopoda). *Steenstrupia* 3: 101-109.
- Manter, H.W. 1940. Digenetic trematodes of fishes from the Galapagos Islands and the neighboring Pacific. *Allan Hancock Pac. Exped.* 2: 329-497.
- Marques, F., D.R. Brooks & H. Molina-Ureña. 1996. Two new species of Tetraphyllidean Cestodes in *Himantura pacifica* (Chondrichthyes: Myliobatiformes: Dasypatidae) from the northwest Coast of Costa Rica. *J. Parasitol.* 82: 302-306.
- May-Collado, L. 2009. Marine mammals. Text: Pp. 479-495, Species list: CD Pp. 485-490. In: L.S. Wehrmann and J. Cortés (Eds.). *Marine Biodiversity of Costa Rica, Central America*. Springer, Berlin.
- May-Collado, L. & A. Morales-Ramírez. 2005. Presencia y patrones de comportamiento del delfín manchado costero, *Stenella attenuata* (Cetacea: Delphinidae) en el Golfo de Papagayo, Costa Rica. *Rev. Biol. Trop.* 53: 265-276.
- May-Collado, L., T. Gerrodette, J. Calambokidis, K. Rasmussen & I. Sereg. 2005. Patterns of cetacean sighting distribution in the Pacific Exclusive Economic Zone of Costa Rica based on data collected from 1979-2001. *Rev. Biol. Trop.* 53: 249-263.
- McLaughlin, P.A. 1981. Revision of *Pylopagurus* and *Tomopagurus* (Crustacea: Decapoda: Paguridae), with the descriptions of new genera and species: Part II. *Rhodochirus* McLaughlin and *Phimochirus* McLaughlin. *Bull. Mar. Sci.* 31: 329-365.
- McLean, J.H. & R. Poorman. 1971. New species of tropical eastern Pacific Turridae. *Veliger* 14: 89-113.
- Meserve, F.G. 1938. Some monogenetic trematodes from the Galapagos Islands and the neighboring Pacific. *Allan Hancock Pac. Exped.* 2: 31-89.

- Monks, S., F. Marques, V. León-Régagnon & G. Pérez-Ponce de León. 1997. *Koronacantha pectinaria* n. comb. (Acanthocephala: Illiosentidae) from *Microlepidotus brevipinnis* (Haemulidae) and redescription of *Tegorhynchus brevis*. J. Parasitol. 83: 485-494.
- Morales-Ramírez, A., R. Víquez, K. Rodríguez & M. Vargas. 2001. Marea roja producida por *Lingulodinium polyedrum* (Peridiniales, Dinophyceae) en Bahía Culebra, Golfo de Papagayo, Costa Rica. Rev. Biol. Trop. 49 (Suppl. 2): 19-23.
- Osburn, R.C. 1950. Bryozoa of the Pacific Coast of America. Part 1, Cheilostomata-Anasca. Allan Hancock Pac. Exped. 14: 1-269.
- Osburn, R.C. 1952. Bryozoa of the Pacific Coast of America. Part 2, Cheilostomata-Ascophora. Allan Hancock Pac. Exped. 14: 271-611.
- Osburn, R.C. & J.D. Soule. 1953. Order Ectoprocta, Suborder Ctenostomata: Pp. 726-758 In: R.C. Osburn, Bryozoa of the Pacific Coast of America. Part 3, Cyclostomata, Ctenostomata, Entoprocta, and Addenda. Allan Hancock Pac. Exped. 14: 613-841.
- Pérez-Ponce de León, G., V. León-Regagnon & S. Monks. 1998. *Theletrum lamothei* sp. nov. (Digenea), parasite of *Echidna nocturna* from Cuajiniquil, Guanacaste, and other digenes of marine fishes from Costa Rica. Rev. Biol. Trop. 46: 345-354.
- Pfeiler, E. 2008. Resurrection of the name *Albulia pacifica* (Beebe, 1942) for the shafted bonefish (Albuliformes: Albulidae) from the eastern Pacific. Rev. Biol. Trop. 56: 839-844.
- Rathbun, M.J. 1937. The Oxystomatous and allied crabs of America. U.S. Natl. Mus. Bull. 166: 1-272.
- Reid, D.G. 2002. The genus *Nodilittorina* von Martens, 1897 (Gastropoda: Littorinidae) in the eastern Pacific Ocean, with a discussion of Biogeographic Provinces of the rocky-shore fauna. Veliger 45: 85-170.
- Rodríguez-Ortíz, B., L. García-Prieto & G. Pérez-Ponce de León. 2004. Checklist of the helminth parasites of vertebrates in Costa Rica. Rev. Biol. Trop. 52: 313-354.
- Rodríguez-Sáenz, K. 2005. Distribución espacial y temporal de la biomasa, composición y abundancia del zooplancton, con énfasis en hidromedusas de Bahía Culebra durante La Niña 1999 y el 2000. M.Sc. thesis, Universidad de Costa Rica, San José, Costa Rica. 156 p.
- Rodríguez-Sáenz, K. & R. Gasca. 2009. Siphonophores. Text: Pp. 151-156, Species list: CD Pp. 101-104. In: I.S. Wehrmann and J. Cortés (Eds.). Marine Biodiversity of Costa Rica, Central America. Springer, Berlin.
- Rodríguez-Sáenz, K. & J. Rodríguez-Fonseca. 2004. Avisamientos del delfín manchado, *Stenella attenuata* (Cetacea: Delphinidae) en Bahía Culebra, Costa Rica, 1999-2000. Rev. Biol. Trop. 52 (Suppl. 2): 189-193.
- Rodríguez-Sáenz, K. & L. Segura-Puertas. 2009. Hydrozoa, Scyphozoa, and Cubozoa (Medusozoa). Text: Pp. 143-149, Species list: CD Pp. 94-100. In: I.S. Wehrmann and J. Cortés (Eds.). Marine Biodiversity of Costa Rica, Central America. Springer, Berlin.
- Rost, H. 1955. A report on the Family Arcidae (Pelecypoda). Allan Hancock Pac. Exped. 20: 177-249.
- Sánchez-Noguera, C. 2012. Entre historias y culebras: más que una bahía (Bahía Culebra, Guanacaste, Costa Rica). Rev. Biol. Trop. 60 (Suppl. 2): 000-000.
- Schmitt, W.L. 1940. The Stomatopods of the West Coast of America, based on collections made by the Allan Hancock Expeditions, 1933-38. Allan Hancock Pac. Exped. 5: 129-225.
- Skoglund, C. 2001. Panamic Province Molluscan Literature. Additions and changes from 1971 through 2000. I. Bivalvia. Festivus 32 (Supplement): 119 p.
- Skoglund, C. 2002. Panamic Province Molluscan Literature. Additions and changes from 1971 through 2001. III Gastropoda. Festivus 33 (Supplement): 286 p.
- Soot-Ryen, T. 1955. A report on the Family Mytilidae (Pelecypoda). Allan Hancock Pac. Exped. 20: 1-175.
- Spongberg, A.L. 2006. PCB concentrations in intertidal sipunculan (Phylum Sipuncula) marine worms from the Pacific coast of Costa Rica. Rev. Biol. Trop. 54 (Suppl. 1): 27-33.
- Suárez-Morales, E. & A. Morales-Ramírez. 2003. A new species of *Cymbasoma* (Crustacea: Copepoda: Monstrilloida) from the Pacific coast of Costa Rica, Central America. Proc. Biol. Soc. Wash. 116: 206-214.
- Taylor, E.H. 1953. Early records of the seasnake *Pelamis platurus* in Latin America. Copeia 1953: 124.
- Taylor, W.R. 1945. Pacific marine algae of the Allan Hancock Pacific Expeditions to the Galapagos Islands. Allan Hancock Pacific Exped. 12: 1-528.
- Tsuda, R.T. 1968. Additional records of the marine algae from Costa Rica. Carib. J. Sci. 8: 103-104.
- Tu, A.T. 1976. Investigation of the sea snake, *Pelamis platurus* (Reptilia, Serpentes, Hydrophiidae), on the

- Pacific coast of Costa Rica, Central America. J. Herpetol. 10: 13-18.
- Türkay, M. 1970. Die Gecarcinidae Amerikas. Mit einem Anhang über *Ucides* Rathbun. Sencken. Biol. 51: 333-354.
- Valdés, Á. & Y.E. Camacho-García. 2004. "Cephalaspidean" Heterobranchs (Gastropoda) from the Pacific Coast of Costa Rica. Proc. California Acad. Sci. 55: 459-497.
- Van Cleave, H.J. 1940. The Acanthocephala collected by the Allan Hancock Pacific Expedition, 1934. Allan Hancock Pac. Exped. 2: 501-527.
- Vargas, R. & J. Cortés. 2006. Biodiversidad marina de Costa Rica: Crustacea: Infraorden Anomura. Rev. Biol. Trop. 54: 461-488.
- Vargas-Montero, M. 2004. Floraciones algales en Costa Rica, su relación con algunos factores meteorológicos y consideraciones sobre sus efectos socieconómicos. M.Sc. thesis, GIACT, Univ. Costa Rica. San Pedro, Costa Rica. 90 p.
- Wehrtmann, I.S. & R. Vargas. 2003. New records and range extensions of shrimps (Decapoda: Penaeoidea, Caridea) from the Pacific and Caribbean coasts of Costa Rica, Central America. Rev. Biol. Trop. 51: 268-274.
- Wicksten, M.K. 1983. Shallow water caridean shrimps of the Gulf of California, México. Allan Hancock Monogr. Mar. Biol. 13: 1-59.
- Wicksten, M.K. & M.E. Hendrickx. 1992. An updated checklist of benthic marine and brackish water shrimps (Decapoda: Penaeoidea, Stenopodidea, Caridea) from the Eastern Tropical Pacific: 49-76. In: M.E. Hendrickx (ed.), Contributions to the Study of East Pacific Crustaceans, 2 [Contribuciones al estudio de los Crustáceos del Pacífico Este, 2]. Instituto de Ciencias del Mar y Limnología, UNAM.
- Wilson, C.B. 1937. Parasitic copepods taken during the third Hancock expedition to the Galapagos Islands. Allan Hancock Pac. Exped. 2: 23-31.
- Ziesenhenne, F.C. 1940. New ophiurans of the Allan Hancock Pacific Expeditions. Allan Hancock Pac. Exped. 8: 9-59.

